

ICX

THE FAIR
PREMIUM
IMPLANT-
SYSTEM.

Match_2026

ICX-PRODUCTCATALOGUE

ICX-IMPLANTS · ICX-SURGERY · ICX-PROSTHETICS

03/2026

GiganTium[®]

The Elite-Material.

- ↳ $\geq 1.100 \text{ MPa}$
- ↳ 100 % Pure titanium 4KV



ONE VISION - BE SMART. BE ICX.

medentis
medical

ICX-PRODUCT CATALOGUE

03/ 2026



medentis[®]
medical

**BE AUTHENTIC.
WORK WITH
ICX**

ICX-SHOP!



SERVICE

Explanation of names, marks and labeling	6
--	---

SURGERY

ICX-IMPLANTS & DRILLS

ICX-MINI Ø 2,9mm Implants & Prosthetics	8/9
ICX-Ø 3,3mm (BL+TL) Implants & Prosthetics	10-27
ICX-PREMIUM Bone Level BL-Implants	28
ICX-PREMIUM (TL) Implants.....	29
ICX-PREMIUM Single-Implants.....	30
ICX-ACTIVE-MASTER (BL) Implants	31
ICX-ACTIVE-MASTER Single-Implants.....	32
ICX-ACTIVE-MASTER (TL) Implants.....	33
ICX-ACTIVE LIQUID (BL) Implants	34
ICX-DIAMOND (BL+TL) LIQUID Implants	36/37
ICX-ZYGOMA and ICX-TUBER Implants.....	38/39
ICX-ACTIVE-WHITE-Ceramic-Implants	39
ICX-ALL-IN-ONE drills	40/41
ICX-WASH-TRAY for ICX-ALL-IN-ON-BOX.....	42/43

ICX-MAGELLAN

Overview ICX-MAGELLAN Box-Content.....	44-47
ICX-WASH-TRAY for ICX-MAGELLAN-BOX	48/51

HEALING CAPS & TRANSFER

ICX-HEALING CAPS

Overview of ICX closure screws and healing caps/gingiva former.....	52
Overview ICX and ICX-TL healing abutments customizable/ICX-Membrane screw	53
Overview ICX Tissue Level (TL) Healing Caps	54

CERICX-HEALING CAPS

CERICX-Healing Caps & Impression Posts	55
--	----

ICX-IMPRESSION POSTS

Overview ICX impression posts.....	56
------------------------------------	----

ICX-MODEL ANALOGUES

Overview ICX model analogs	57
----------------------------------	----

PROSTHETICS

1. Cemented and bonded restoration

ICX-ABUTMENTS & ADHESIVE BASES

Overview ICX Titanium abutments.....	58-61
Overview ICX universal abutments.....	62
Overview ICX bar systems.....	62
Overview ICX (TL)-abutments.....	62
Overview ICX gold and plastic abutments.....	63
Overview ICX-CAD/CAM/adhesive base and scanbody.....	64/65
ICX-CEREC® adhesive bases and scan caps.....	66
ICX adhesive base for ZirkonZahn system.....	66

CERICX-ZIRCONIA ABUTMENTS

Overview CERICX zirconia abutments.....	68/69
---	-------

2. Occlusal screw-retained restoration

ICX-MULTI CONCEPT FOR OCCLUSAL SCREW FIXATION

Overview ICX-MULTI concept (4-ON-ICX & 6-ON-ICX).....	70-72
---	-------

3. Hybrid technique

ICX-t-bona BALL HEAD PATRICES & MATRICES

Overview ICX-t-bona ball head system.....	74
Overview of t-ecco & Dalbo®-Plus matrices for ICX.....	75

ICX-MAXIMUS (LOCATOR™) PATRICES & MATRICES

Overview ICX Maximus superstructures, one/two-piece.....	76/77
Overview ICX Maximus accessories.....	78/79

ICX-ACCESSORIES

ICX transfer device/instrument box.....	80
ICX-Try-in-Box /ICX-Bone-Spreader-Box.....	81
Overview of ICX accessories.....	82/83
Product information recommendations for torques.....	84-87
Product information ICX-BL + TL implants.....	88

PLEASE NOTE! ICX connection (Internal Conical Hex)

The frictional connection to the implant is **always** via the cone.

Anything that inhibits the taper at platform level in the prosthetic restoration (GH=0mm) is **only** recommended for aesthetic reasons!

Explanation of the names, signs and labels

Explanation of symbols/characters on labels/product labels and package inserts:



Batch number



Item number



Gamma sterilized



Use before expiration date



for single use only



Please read the instruction for use carefully



ICX products are CE marked and comply with the requirements of Medical Device Directive 93/42 EEC



Do not use, if packaging is damaged



Do not resterilize

Meaning of colour coding for ICX drills & implants

White ○ = Ø 2,9mm

Red ● = Ø 3.75mm

Pink ● = Ø 3,3mm

Green ● = Ø 4.1mm

Yellow ● = Ø 3,45mm

Blue ● = Ø 4.8mm

Colour representations and sizes of the illustrations in this brochure are not binding!

ICX-PROSTHETICS

ONLY TWO PROSTHETIC LINES FOR THE ENTIRE ICX SPECTRUM.



QUITE *SIMPLE.*



DISCOVER THE ICX DIFFERENCE.

BE SMART. BE ICX.

medentis
medical

www.medentis.de

OVERVIEW: ICX-MINI Ø 2.9mm implants

ICX-MINI Ø 2.9mm implants


All ICX-MINI Ø 2.9mm implants are only available in a pack of 6. It is a 2-piece and are supplied with a GH 1mm ball head.

ICX-MINI implant white, Ø 2.9mm

Article-No.

C-001-290080	ICX-MINI ø 2.9 x 8mm (pack of 6)
C-001-290100	ICX-MINI ø 2.9 x 10mm (pack of 6)
C-001-290125	ICX-MINI ø 2.9 x 12.5mm (pack of 6)

Note: Only use C-003-000004 ICX-mini cover screw!



Insertion tool: C-015-100006

Insertion



Ball head removal:

Counter instrument: C-015-100009



Insertion tool: C-015-100007

Ball head



Hex tool: 960002


Cover screw



8mm

10mm

12.5mm



medentis
medical

OVERVIEW: ICX-MINI Ø 2.9mm prosthetics

Overview/Prosthetics: MINI-implant ICX-MINI Ø 2.9mm

Article-No.		Article	Dimensions	Material
C-003-000004		ICX-MINI cover screw, (see note 1 below!) Is screwed in with: Art.-No.: 96 0002	-	Titanium
960002		ICX hexagonal instrument (ISO shank) SW 0,9mm, L 20mm for t-ecco inner die and ICX-mini locking cap	-	Stainless steel
C-015-100029		ICX hexagonal instrument (one-piece) SW 0,9mm, L 38,5mm for t-ecco inner die and ICX-mini locking cap	-	Stainless steel
C-022-090001		t-bona ball head mini, ball ø 2.25mm, incl. model analog	GH 1mm	Titanium
C-022-090002		t-bona ball head mini, ball ø 2.25mm, incl. model analog	GH 2mm	Titanium
C-022-090003		t-bona ball head mini, ball ø 2.25mm, incl. model analog	GH 3mm	Titanium
C-015-100007		ICX-t-bona ball head Insertion tool	L 19mm	Stainless steel

Article-No.		Article	Material
C-031-030001		ICX-Maximus for ICX-MINI, consisting of sleeve GH 3mm and base screw	Titanium

C-015-100018		Triangular turning tool 25mm (short)	Stainless steel
C-015-100031		Triangular turning tool 30mm (long)	Stainless steel

Important note:

**ICX SPHERICAL HEAD MATRIX SYSTEM AND ICX MAXIMUS MATRIX SYSTEM
SEE PAGES 25/26.**

Article-No.		Article	Dimensions	Material
C-026-010501		ICX-MINI massive abutment (The solid abutment coping is cemented in the patient's mouth. This subsequent solid abutment can be milled and conventionally impression). Only in combination with the ball head abutment GH 1mm.	Ø 5mm K 7mm	Titanium

OVERVIEW - SURGERY ICX-Ø3,3mm: ICX-Ø 3.3mm BL & TL implants

ICX-PREMIUM Ø 3.3mm implants (BL)

All ICX-PREMIUM Ø 3.3mm implants are only available in a pack of 6

Article-No.

C-001-330080	ICX-PREMIUM Ø 3.3 · L 8mm (Pack of 6)
C-001-330100	ICX-PREMIUM Ø 3.3 · L 10mm (Pack of 6)
C-001-330125	ICX-PREMIUM Ø 3.3 · L 12.5mm (Pack of 6)

Ø 3,3mm




ICX-ACTIVE-MASTER Ø 3.3mm implants (BL)

All ICX-ACTIVE MASTER Ø 3.3mm implants are only available in a pack of 6

Article-No.

ACM-001-330080	ICX-ACTIVE-MASTER Ø 3.3 · L 8mm (Pack of 6)
ACM-001-330100	ICX-ACTIVE-MASTER Ø 3.3 · L 10mm (Pack of 6)
ACM-001-330125	ICX-ACTIVE-MASTER Ø 3.3 · L 12.5mm (Pack of 6)

Ø 3,3mm




ICX-PREMIUM Ø 3.3mm implants (TL)

All ICX-ACTIVE MASTER Ø 3.3mm implants are only available in a pack of 6

Article-No.

T-001-330080	ICX Premium TissueLine Implant Ø 3.3 x 8mm (Pack of 6)
T-001-330100	ICX Premium TissueLine Implant Ø 3.3 x 10mm (Pack of 6)
T-001-330125	ICX Premium TissueLine Implant Ø 3.3 x 12.5mm (Pack of 6)

Ø 3.3mm




ICX-ACTIVE-MASTER Ø 3.3mm implants (TL)

All ICX-ACTIVE MASTER Ø 3.3mm implants are only available in a pack of 6

Article-No.

TAM-001-330080	ICX Active Master TissueLine Implant Ø 3.3 x 8mm (Pack of 6)
TAM-001-330100	ICX Active Master TissueLine Implant Ø 3.3 x 10mm (Pack of 6)
TAM-001-330125	ICX Active Master TissueLine Implant Ø 3.3 x 12.5mm (Pack of 6)

Ø 3.3mm



OVERVIEW - SURGERY ICX-Ø3,3mm: ICX-Ø 3.3mm BL Single implants

ICX-PREMIUM Ø 3,3mm Single implants (BL)

Artikel-Nr.

S-001-330080	ICX-PREMIUM Ø 3.3 · L 8mm
S-001-330100	ICX-PREMIUM Ø 3.3 · L 10mm
S-001-330125	ICX-PREMIUM Ø 3.3 · L 12.5mm

Ø 3,3mm



Ø 3,3mm

ICX-ACTIVE-MASTER Ø 3,3mm Single implants (BL)

Artikel-Nr.

S-ACM-001-330080	ICX-ACTIVE-MASTER Ø 3.3 · L 8mm
S-ACM-001-330100	ICX-ACTIVE-MASTER Ø 3.3 · L 10mm
S-ACM-001-330125	ICX-ACTIVE-MASTER Ø 3.3 · L 12.5mm

Ø 3,3mm



ICX-SHOP!




BE SMART. BE ICX.



OVERVIEW ICX-Ø3,3mm:
ICX-ALL-IN-ONE drilling log Ø 3.3mm

ICX-ALL-IN-ONE

SURGERY BOX




OVERVIEW ICX-Ø3,3mm: ICX-ALL-IN ONE drilling log Ø 3.3mm

Ø 3,3mm D2/D3/D4

Drilling protocol for very soft/
soft/medium-hard bone.

This procedure is identical for
all lengths.

The drilling protocol suggested by medentis medical is
only a recommendation. As a general rule, the specified
drill sequence may vary for all drills, all implant diameters
and all bone classes. The softer the bone, the fewer steps
are recommended. The harder the bone, the more inter-
mediate steps are recommended.




Ø 3,3mm D1

Drill protocol for hard bone.

Please only use drills with
3 pink rings here!

This procedure is identical
for all lengths.



Insertion tools

Article no.	Article	Dimensions	Material	
N-015-100002	ICX Ø 3.3 Insertion instrument medium, ISO shaft	L = 29mm	Stainless steel	
N-015-100040	ICX Ø 3.3 insertion instrument locked holding function, medium, ISO shaft	L = 28mm	Stainless steel	
N-015-100039	ICX Ø 3.3 insertion instrument locked holding function, short, ISO shaft	L = 24mm	Stainless steel	
N-015-110000	ICX-3.3 Insertion instrument screwable	L = 40mm	Stainless steel	

ICX boneprofiler for ICX 3.3 BL implants with ISO-Shaft connection

Article no.	Article	Dimensions	Material	
C-014-006003	ICX boneprofiler for ICX 3.3 BL implants with ISO shaft connection for uncovering overgrown implant platforms	L = 28mm	Stainless steel	

Important note: Only to be used for ICX-3.3 implants!

Screwdriver

Article no.	Article	Dimensions	Material	
C-015-100033	ICX Hex Tool SW 1,2 Iso shaft	L = 25mm	Stainless steel	
C-015-100043	ICX hexagonal instrument (one-piece) SW 1.2mm, short	L = 21mm	Stainless steel	
C-015-100030	ICX Hex Tool SW 1.2, medium, one-piece	L = 27mm	Stainless steel	
C-015-100036	ICX Hex Tool SW 1.2, long, one-piece	L = 32mm	Stainless steel	

OVERVIEW - SURGERY ICX-Ø3.3mm: Healing Caps

Ø3,3mm

ICX cover screws and Healing caps (healing abutments)

Article no.	Article	Dimensions	Material	
N-003-000001	ICX Ø 3.3 Cover screw	GH 0mm	Titanium	
N-003-000002	ICX Ø 3.3 Cover screw sterile, 6-pack	GH 0mm	Titanium	
N-003-000021	ICX Ø 3.3 Cover screw GH 2mm	GH 2mm	Titanium	
N-004-004120	ICX Ø 3.3 Cover screw conical, 2mm	GH 2mm Ø 4.1	Titanium	
N-004-004130	ICX Ø 3.3 Cover screw conical, 3mm	GH 3mm Ø 4.1	Titanium	
N-004-004140	ICX Ø 3.3 Cover screw conical, 4mm	GH 5mm Ø 4.1	Titanium	
N-004-004150	ICX Ø 3.3 Cover screw conical, 5mm	GH 5mm Ø 4.1	Titanium	
N-004-004510	ICX Ø 3.3 Cover screw conical, 1mm	GH 1mm Ø 4,5	Titanium	
N-004-004520	ICX Ø 3.3 Cover screw conical, 2mm	GH 2mm Ø 4,5	Titanium	
N-004-004530	ICX Ø 3.3 Cover screw conical, 3mm	GH 3mm Ø 4,5	Titanium	
N-004-004540	ICX Ø 3.3 Cover screw conical, 4mm	GH 4mm Ø 4,5	Titanium	
N-004-004550	ICX Ø 3.3 Cover screw conical, 5mm	GH 5mm Ø 4,5	Titanium	
N-004-004560	ICX Ø 3.3 Cover screw conical, 6mm	GH 6mm Ø 4,5	Titanium	

CERICX 3.3 Healing caps (gingiva former)

Article no.	Article	Dimensions	Material	
N-004-116003	ICX-3.3 CERICX Healing cap	Ø=7 GH=3mm	Titanium	
N-004-116004	ICX-3.3 CERICX Healing cap	Ø=7 GH=4mm	Titanium	
N-004-116005	ICX-3.3 CERICX Healing cap	Ø=7 GH=5mm	Titanium	

ICX-3.3 Healing caps, individualizable

Article no.	Article	Dimensions	Material	
N-004-504015	ICX-3.3 Healing cap individual	Ø=4.0 GH=1.5mm	PEEK	
N-004-504035	ICX-3.3 Healing cap individual	Ø=4.0 GH=3.5mm	PEEK	

 All articles incl. connecting screw
N-011-000001

 All articles incl. laboratory screw N-007-000002

OVERVIEW ICX-Ø3,3mm: Transfer ICX-Ø3.3mm

Impression posts & model analogues

Article no.	Article	Dimensions	Material	
N-005-020002	ICX Ø 3.3 Impression post closed	H 10.4mm Ø 4.5	Titanium	
N-005-040010	ICX-Impression post, rosa, Pack of 10		Plastic	
N-005-030001	ICX Ø 3.3 Impression post open	H 8.5mm Ø 4.5	Titanium	
N-005-030002	ICX Ø 3.3 Impression post open, long	H 15mm Ø 4.5	Titanium	
N-006-010003	ICX Ø 3.3 Model analogue standard BL CAD/CAM	Ø 4.0 L 10mm	Titanium	
N-006-010008	ICX Ø 3.3 Model analogue TL CAD/CAM	Ø 4.0 L 10mm	Titanium	
N-006-020003	ICX Ø 3,3 Model analogue standard, screwable BL CAD/CAM	Ø 4.0 L 10mm	Titanium	

Note: The screwing-in torque of 5 to 10Ncm should not be exceeded. Please screw in all ICX cover screws and healing caps only by hand. If you screw them in with 20 or more Ncm, there is a risk that conical forces will be created, which will make it almost impossible to loosen them later.
Note: H = Length from implant top edge - GH = Gingival height

Dear customers,

please note the two different platforms of the BL and TL implants. Select the BL and TL laboratory analogues accordingly. This is important if the prosthetics later have to touch the different platforms of the implants due to the low emergence profile. different platforms of the implants (GH 0mm).
Your medentis team



ICX-Ø 3.3mm BL (Bone Level)
Ø 3.3mm

Art.-No.: N-006-010003



ICX-Ø 3.3mm TL (Tissue Level)
Ø 3.3mm

Art.-No.: N-006-010008

OVERVIEW ICX-Ø3,3mm:

ICX titanium abutments for cemented restoration ICX-Ø3.3mm

ICX-Titanium-abutments

Article no.	Article	Dimensions	Material	
N-007-020401	ICX Ø 3.3 abutment straight, 1mm	GH 1mm Ø 4.0 K 5.5mm	Titanium	
N-007-020402	ICX Ø 3.3 abutment straight, 2mm	GH 2mm Ø 4.0 K 5.5mm	Titanium	
N-007-020403	ICX Ø 3.3 abutment straight, 3mm	GH 3mm Ø 4.0 K 5.5mm	Titanium	

Ø3,3mm

ICX-Titanium-Aesthetic abutments

Article no.		Article	Dimensions	Material
N-010-010005	 <p>0° 15° 25°</p> <p>Only for ICX bone level Implants</p>	ICX Aesthetic Line titanium abutment, 0° straight, Ø 3.7mm	GH 1: 0.5mm GH 2: 1.5mm K 8mm	Titanium
N-010-020005		ICX Aesthetic Line titanium abutment, 15°, Ø 3.7mm	GH 1: 0.5mm GH 2: 1.5mm K 8mm	Titanium
N-010-040005		ICX Aesthetic Line titanium abutment, 25°, Ø 3.7mm	GH 1: 0.5mm GH 2: 1.5mm K 8mm	Titanium



ICX-Titanium-Aesthetic abutments

Article no.	Article	Dimensions	Material	
N-010-020010	ICX Ø 3.3 Aesthetic abutment 15°, 1mm	GH 1: 1mm GH 2: 3mm Ø 4.0 K 7.4mm	Titanium	
N-010-020020	ICX Ø 3.3 Aesthetic abutment 15°, 2mm	GH 1: 2mm GH 2: 4mm Ø 4.0 K 7.4mm	Titanium	
N-010-040010	ICX Ø 3.3 Aesthetic abutment 25°, 1mm	GH 1: 1mm GH 2: 3mm Ø 4.0 K 7.4mm	Titanium	
N-010-040020	ICX Ø 3.3 Aesthetic abutment 25°, 2mm	GH 1: 2mm GH 2: 4mm Ø 4.0 K 7.4mm	Titanium	

Note: GH = Gingival height
 K = Chimney height
 L = Length from upper implant edge

 All articles incl. connection screw N-011-000001

 All articles incl. laboratory screw N-007-000002



OVERVIEW - PROSTHETICS ICX-Ø3,3mm: Adhesive bases and gating

Adhesive and scan abutments

Article no.	Article	Dimensions	Material	
N-029-000001	ICX-3.3 Adhesive base	Ø=3.6mm GH=0.5mm • K=3.5mm	Titanium	
N-029-000008	ICX-3.3 Adhesive base	Ø=3.6mm GH=1.5mm • K=3.5mm	Titanium	
N-029-000007	ICX-3.3 Adhesive base	Ø=3.6mm GH=2.5mm • K=3.5mm	Titanium	
N-030-000003	ICX Ø 3,3 Scanabutment narrow coated	H 11.5mm Ø 4.1	Titanium	

 All articles incl. connection screw
N-011-000001

 All articles incl. laboratory screw N-007-000002

ICX-Cerec® adhesive bases (only compatible with Sirona® system)

Article no.		Article	Dimensions	Material
N-029-000050		ICX-Cerec® adhesive base with hex for Cerec® L block, incl. scan cap white (Bluecam),	GH 1mm K 4.65mm Ø 4.5mm	Titanium
N-030-000052		ICX-Cerec®-Scanpost L for C-029-000050 with hex incl. scan cap white (Bluecam)	GH 2.5mm K 4.65mm Ø 4.5mm	Titanium

NOTE: IN GENERAL, A SCAN VIA THE RESPECTIVE SCANPOST IS ALWAYS RECOMMENDED! THE CORRESPONDING DATA SET MUST BE SELECTED FOR SCANPOST.

THE CORRESPONDING CAD/CAM DATA RECORD IS STORED AS THE ALPHATECH 3.4, OR FRIADENT FX 3.4 IN THE SIRONA® SYSTEM (S BLOCK).

CoCr-Abutment

Article no.		Article	Dimensions	Material
N-008-020001		ICX-CoCr abutment (cast-on able with NEM), with hex	Ø 3.6mm GH: 0.5mm K: 5mm Plastic sleeve: 9mm	CoCr Biodur CCM/BC NEM castable (Note CTE values when firing on ceramics)

 All articles incl. connection screw
N-011-000001

 All articles incl. laboratory screw N-007-000002

OVERVIEW - PROSTHETICS ICX-Ø3,3mm: CERICX-Ø 3,3mm-Abutments

Tooth colour „bright” — **A**
corresponds to:
approx. A1, A2, B1

Tooth colour „standard” — **B**
corresponds to:
approx. A3, B2

Tooth colour „dark” — **C**
corresponds to:
approx. A3.5 B3

Article no.	Article	Dimensions	Material	
N-036-A/B/C 10501	ICX Ø 3.3 CerICX Abutment straight 1mm	Ø 5.5mm/ Ø 6.5mm GH 1.2/3.1mm K 6.5mm	Titanium	<p>A = Tooth colour „bright”</p>  <p>B = Tooth colour „standard”</p>  <p>C = Tooth colour „dark”</p> 
N-036-A/B/C 10502	ICX Ø 3.3 CerICX Abutment straight 2mm	Ø 5.5mm/ Ø 6.5mm GH 2.2/4.1mm K 6.5mm	Titanium	
N-036-A/B/C 10503	ICX Ø 3.3 CerICX Abutment straight 3mm	Ø 5.5mm/ Ø 6.5mm GH 3.2/5.1mm K 6,5mm	Titanium	
N-036-A/B/C 10504	ICX Ø 3.3 CerICX Abutment straight 4mm	Ø 5.5mm/ Ø 6.5mm GH 4.2/6.1mm K 6.5mm	Titanium	
N-036-A/B/C 10505	ICX Ø 3.3 CerICX Abutment straight 5mm	Ø 5.5mm/ Ø 6.5mm GH 5.2/7.1mm K 6.5mm	Titanium	
N-036-A/B/ C20005	ICX Ø 3,3 CERICX 15° Abutment Aesthetics 0.5mm	Ø 5.5mm/ Ø 6.5mm GH 1.2/3.2mm K 7mm	Titanium	<p>A = Tooth colour „bright”</p>  <p>B = Tooth colour „standard”</p>  <p>C = Tooth colour „dark”</p> 
N-036-A/B/C 20015	ICX Ø 3.3 CerICX Abutment 15° Aesthetics 1.5mm	Ø 5,5mm/ Ø 6,5mm GH 2,2/4,2mm K 7mm	Titanium	
N-036-A/B/C 20025	ICX Ø 3.3 CerICX Abutment 15° Aesthetics 2.5mm	Ø 5.5mm/ Ø 6.5mm GH 3.2/5.2mm K 7mm	Titanium	
N-036-A/B/C 20035	ICX Ø 3.3 CerICX Abutment 15° Aesthetics 3.5mm	Ø 5.5mm/ Ø 6.5mm GH 4.2/6.2mm K 7mm	Titanium	
N-036-A/B/C 20045	ICX Ø 3.3 CerICX Abutment 15° Aesthetics 4.5mm	Ø 5.5mm/ Ø 6.5mm GH 5.2/7.2mm K 7mm	Titanium	

Ø3,3mm

 All articles incl. connection screw
N-011-000001

 All articles incl. laboratory screw N-007-000002

OVERVIEW – PROSTHETICS ICX Ø 3.3 mm: ICX-ZERO BONE LOSS-Ø 3,3mm-abutments

ICX-ZERO BONE LOSS®

Single article · for ● Ø 3.3 ICX-Implants

Ø3,3mm

Article no.	Article – ICX-Ø3.3 Zero Bone Loss Scan & Healing Caps	
N-004-007F07	ICX-3.3 Zero Bone Loss, Scan & Heal, Anterior, H=4mm, f. GH=1.5mm	
N-004-007F08	ICX-3.3 Zero Bone Loss, Scan & Heal, Anterior, H=5mm, f. GH=2.5mm	
N-004-007F09	ICX-3.3 Zero Bone Loss, Scan & Heal, Anterior, H=6mm, f. GH=3.5mm	
N-004-007P07	ICX-3.3 Zero Bone Loss, Scan & Heal, premolar, H=4mm, f. GH=1.5mm	
N-004-007P08	ICX-3.3 Zero Bone Loss, Scan & Heal, premolar, H=5mm, f. GH=2.5mm	
N-004-007P09	ICX-3.3 Zero Bone Loss, Scan & Heal, premolar, H=6mm, f. GH=3.5mm	

Article no.	Article – ICX-Ø3.3 Zero Bone Loss adhesive bases	
N-029-001107	ICX-3.3 Zero Bone Loss adhesive base, Ø3.6, GH=1.5mm, f.H=4mm	
N-029-001108	ICX-3.3 Zero Bone Loss adhesive base, Ø3.6, GH=2.5mm, f.H=5mm	
N-029-001109	ICX-3.3 Zero Bone Loss adhesive base, Ø3.6, GH=3.5mm, f.H=6mm	

Article no.	Article – ICX-Ø3.3 Zero Bone Loss CerlCX Abutment	
N-036-A07F07	ICX-3.3 Zero Bone Loss CerlCX, anterior, 0° GH=2.5/3.5mm, f. H=4mm, A	
N-036-A07F08	ICX-3.3 Zero Bone Loss CerlCX, anterior, 0° GH=2.5/3.5mm, f. H=4mm, B	
N-036-A07F09	ICX-3.3 Zero Bone Loss CerlCX, anterior, 0° GH=2.5/3.5mm, f. H=4mm, C	
N-036-B07F07	ICX-3.3 Zero Bone Loss CerlCX, anterior, 0° GH=3.5/4.5mm, f. H=5mm, A	
N-036-B07F08	ICX-3.3 Zero Bone Loss CerlCX, anterior, 0° GH=3.5/4.5mm, f. H=5mm, B	
N-036-B07F09	ICX-3.3 Zero Bone Loss CerlCX, anterior, 0° GH=3.5/4.5mm, f. H=5mm, C	
N-036-C07F07	ICX-3.3 Zero Bone Loss CerlCX, anterior, 0° GH=4.5/5.5mm, f. H=6mm, A	
N-036-C07F08	ICX-3.3 Zero Bone Loss CerlCX, anterior, 0° GH=4.5/5.5mm, f. H=6mm, B	
N-036-C07F09	ICX-3.3 Zero Bone Loss CerlCX, anterior, 0° GH=4.5/5.5mm, f. H=6mm, C	
N-036-A07P07	ICX-3.3 Zero Bone Loss CerlCX, premolar, 0° GH=2.5/3.5mm, f. H=4mm, A	
N-036-A07P08	ICX-3.3 Zero Bone Loss CerlCX, Premolar, 0° GH=2.5/3.5mm, f. H=4mm, B	
N-036-A07P09	ICX-3.3 Zero Bone Loss CerlCX, Premolar, 0° GH=2.5/3.5mm, f. H=4mm, C	
N-036-B07P07	ICX-3.3 Zero Bone Loss CerlCX, Premolar, 0° GH=3.5/4.5mm, f. H=5mm, A	
N-036-B07P08	ICX-3.3 Zero Bone Loss CerlCX, Premolar, 0° GH=3.5/4.5mm, f. H=5mm, B	
N-036-B07P09	ICX-3.3 Zero Bone Loss CerlCX, Premolar, 0° GH=3.5/4.5mm, f. H=5mm, C	
N-036-C07P07	ICX-3.3 Zero Bone Loss CerlCX, Premolar, 0° GH=4.5/5.5mm, f. H=6mm, A	
N-036-C07P08	ICX-3.3 Zero Bone Loss CerlCX, Premolar, 0° GH=4.5/5.5mm, f. H=6mm, B	
N-036-C07P09	ICX-3.3 Zero Bone Loss CerlCX, Premolar, 0° GH=4.5/5.5mm, f. H=6mm, C	

ZBL adhesive bases

Article no.	Article – ICX Zero Bone Loss abutment	Material	
N-029-001101	ICX-3.3 ZBL Abutment, Ø=3.6 GH=0.5mm · K= 6mm	Titan	
N-029-001107	ICX-3.3 ZBL Abutment, Ø=3.6 GH=1.5mm · K= 6mm	Titan	
N-029-001108	ICX-3.3 ZBL Abutment, Ø=3.6 GH=2.5mm · K= 6mm	Titan	
N-029-001109	ICX-3.3 ZBL Abutment, Ø=3.6 GH=3.5mm · K= 6mm	Titan	
N-029-001001	ICX-3.3 ZBL Abutment, non-hex, Ø=3.6 GH=0.5mm · K= 6mm	Titan	
N-029-001007	ICX-3.3 ZBL Abutment, non-hex, Ø=3.6 GH=1.5mm · K= 6mm	Titan	
N-029-001008	ICX-3.3 ZBL Abutment, non-hex, Ø=3.6 GH=2.5mm · K= 6mm	Titan	
N-029-001009	ICX-3.3 ZBL Abutment, non-hex, Ø=3.6 GH=3.5mm · K= 6mm	Titan	

OVERVIEW – PROSTHETICS ICX Ø 3.3 mm: ICX-ZERO BONE LOSS-Ø 3,3mm-abutments

ICX-ZERO BONE LOSS® adhesive bases and healing caps

Sets of 2 · for ● Ø 3.3 ICX-Implants

Article no.	Article – ICX-ZERO BONE LOSS® adhesive bases & healing caps	
N-004-007F07 & N-029-001107	ICX-3.3 Zero Bone Loss, Scan & Heal, anterior, H=4mm, f. GH=1.5mm ICX-3.3 Zero Bone Loss adhesive base, Ø3.6, GH=1.5mm, f.H=4mm GH=1,5mm	 
N-004-007F08 & N-029-001108	ICX-3.3 Zero Bone Loss, Scan & Heal, anterior, H=5mm, f. GH=2.5mm ICX-3.3 Zero Bone Loss adhesive base, Ø3.6, GH=2.5mm, f.H=5mm GH=2,5mm	 
N-004-007F09 & N-029-001109	ICX-3.3 Zero Bone Loss, Scan & Heal, anterior, H=6mm, f. GH=3.5mm ICX-3.3 Zero Bone Loss adhesive base, Ø3.6, GH=3.5mm, f.H=6mm GH=3.5mm	 
N-004-007P07 & N-029-001107	ICX-3.3 Zero Bone Loss, Scan & Heal, premolar, H=4mm, f. GH=1.5mm ICX-3.3 Zero Bone Loss adhesive base, Ø3.6, GH=1.5mm, f.H=4mm GH=1,5mm	 
N-004-007P08 & N-029-001108	ICX-3.3 Zero Bone Loss, Scan & Heal, premolar, H=5mm, f. GH=2.5mm ICX-3.3 Zero Bone Loss adhesive base, Ø3.6, GH=2.5mm, f.H=5mmGH=2,5mm	 
N-004-007P09 & N-029-001109	ICX-3.3 Zero Bone Loss, Scan & Heal, premolar, H=6mm, f. GH=3.5mm ICX-3.3 Zero Bone Loss adhesive base, Ø3.6, GH=3.5mm, f.H=6mm GH=3.5mm	 

Ø3,3mm

IMPORTANT NOTE!

When selecting the respective gingiva former, pay attention to the number of groove recesses. These indicate the desired gingival height.



OVERVIEW - PROSTHETICS ICX-Ø3,3mm: ICX-MULTI® CONCEPT = 4-ON-ICX AND 6-ON-ICX

ICX-MULTI®-Abutments

Article no.	Article	Dimensions	Material	
N-020-750010	ICX Ø 3,3 MULTI Abutment straight 1mm	K 2.2mm GH 1mm Ø 4.8	Titanium	
N-020-750020	ICX Ø 3,3 MULTI Abutment straight 2mm	K 2.2mm GH 2mm Ø 4.8	Titanium	
N-020-750030	ICX Ø 3,3 MULTI Abutment straight 3mm	K 2.2mm GH 3mm Ø 4.8	Titanium	
N-020-751710	ICX Ø 3,3 MULTI Abutment 17° 1mm hex	K 2.2mm GH 1 = 1mm GH 2 = 2.4mm Ø 4.8	Titanium	
N-020-751720	ICX Ø 3,3 MULTI Abutment 17° 2mm hex	K 2.2mm GH 1 = 2mm GH 2 = 3.6mm Ø 4.8	Titanium	
N-020-751730	ICX Ø 3,3 MULTI Abutment 17° 3mm hex	K 2.2mm GH 1 = 3mm GH 2 = 4.6mm Ø 4.8	Titanium	
N-020-753510	ICX Ø 3,3 MULTI Abutment 35° 1mm hex	K 2.2mm GH 1 = 1mm GH 2 = 3.75mm Ø 4.8	Titanium	
N-020-753520	ICX Ø 3,3 MULTI Abutment 35° 2mm hex	K 2.2mm GH 1 = 2mm GH 2 = 4.75mm Ø 4.8	Titanium	
N-020-753530	ICX Ø 3,3 MULTI Abutment 35° 3mm hex	K 2.2mm GH 1 = 3mm GH 2 = 5.75mm Ø 4.8	Titanium	



All articles incl. connecting screw
N-020-000010



Note: GH = Gingiva height · K = Chimney height

Article no.	Article	Dimensions	Material	
C-015-100030	ICX-MULTI Hex tool SW 1.2mm medium	SW 1.2mm	Stainless steel	
C-020-000001	ICX-MULTI insertion tool SW 3,2mm for straight multi abutments Mandatory!	SW 3.2mm	Stainless steel	

Ø3,3mm

OVERVIEW - PROSTHETICS ICX-Ø3,3mm: ICX-MULTI® CONCEPT = 4-ON-ICX AND 6-ON-ICX

Required minimum construction height is 5.5mm

Article no.		Article	Dimensions	Material
C-003-000005		ICX-MULTI Protection cap	Ø 4.8 L 4.6mm	Titanium
C-005-070001		ICX-MULTI impression posts, closed, incl. impression cap	L 11mm	Titanium
C-005-070002		ICX-MULTI impression posts, open, short incl. impression aid	L 13mm	Titanium
C-005-070020		ICX-MULTI impression posts, open, long incl. impression aid	L 16.7mm	Titanium
C-006-010007		ICX-MULTI Model analog CAD/CAM	L 11mm K 2,mm	Titanium
C-020-951120		ICX-MULTI Prosthetic abutment, Titanium	Ø 4.8 L 12mm (shortenable to 4.1mm)	Titanium
C-020-952120		ICX-MULTI Prosthetic abutment, Plastic	Ø 4.8 L 12mm (shortenable to 4.1mm)	Plastic burnable
C-020-953120		ICX-MULTI Prosthetic abutment PEEK (PROVISIONAL/BITE REGISTRATION)	Ø 4.8 L 12mm (shortenable to 4.1mm)	Peek
C-029-002010		ICX-MULTI adhesive base (for bars and resin veneer bridges)	Ø 4.8 L 5.5mm	Titanium
C-029-002011		ICX-MULTI adhesive base GH 0mm, (for ceramic veneer bridges)	Ø 5.4mm, L 5.5mm	Titanium
C-030-000010		ICX-MULTI Scan cap	L 12.5mm B 4.5mm T 6.5mm	Peek
C-030-000013		ICX Multi Scan base narrow	Ø 4.10mm L 10mm	Titanium
C-031-100001		ICX-Maximus cap, GH 3mm, (additionally to GH ICX-multi abutment)	Ø 4.8 L 4.4mm	Titanium



incl. prosthetic screw C-020-000011 (connection screw to ICX-MULTI abutment)

OVERVIEW - PROSTHETICS ICX-Ø3,3mm: ICX-MULTI® CONCEPT = 4-ON-ICX AND 6-ON-ICX

Required minimum construction height is 5.5mm

Article no.		Article	Dimensions	Material
C-020-956120		ICX-MULTI prosthetic abutment CoCr Biodur CCM/BC NEM cast-on	Ø 4.8mm L 7mm	CoCr Biodur CCM/ BC
C-020-955120		ICX-MULTI WeldOn abutment for welding of several superstructures with the aid of a titanium wire	Ø 4.8mm L 12mm	Titanium
C-020-955121		ICX-MULTI WeldOn abutment for welding of several superstructures with the aid of a titanium wire	Ø 5.1mm L 10.5mm	Titanium

 incl. prosthetic screw C-020-000011
(connection screw to ICX-MULTI abutment)

Field of application and indication

The ICX-MULTI® concept is a prosthetic concept for immediate restoration of edentulous patients. For better support of the provisional restoration, it is possible for the posterior implants to be placed at a 17° or 35° angle distally. This angulation is compensated by the special abutments.



4-ON-ICX

OVERVIEW - PROSTHETICS ICX-Ø3,3mm: Adhesive and scan abutments - t-bona - ICX-Maximus

Ø3,3mm

t-bona ball head abutments

Article no.	Article	Dimensions	Material	
N-022-060001	ICX Ø 3.3 t-bona, standard, 1mm	GH 1mm	Titanium	
N-022-060002	ICX Ø 3.3 t-bona, standard, 2mm	GH 2mm	Titanium	
N-022-060003	ICX Ø 3.3 t-bona, standard, 3mm	GH 3mm	Titanium	

Article no.		Article	Dimensions	Material
C-015-100007		ICX-t-bona ball head insertion tool	L 19mm	Edelstahl


ICX-Maximus-abutments

Article no.	Article	Dimensions	Material	
N-031-010001	ICX Ø 3.3 Maximus, two-piece 1mm	GH 1mm	Titanium	
N-031-010002	ICX Ø 3.3 Maximus, two-piece 2mm	GH 2mm	Titanium	
N-031-010003	ICX Ø 3.3 Maximus, two-piece 3mm	GH 3mm	Titanium	


 All articles incl. connection screw
N-011-000001

OVERVIEW - PROSTHETICS ICX-Ø3,3mm: ICX-t-bona ball head system

t-ecco/matrices

Article no.		Article	Material
T-13825		t-ecco, matrice, complete, incl. golden inner matrice, red plastic auxiliary ring and model analog	Titanium plus AuPt
T-13836		t-ecco, matrice, single without golden inner matrice	Titanium
T-13833		t-ecco, golden inner matrice	AuPt
T-13846		t-ecco, golden inner matrice (weak)	Titanium grade5
T-13845		t-ecco, red inner matrice (strong)	Titanium grade5
EK-833100		Model analogue	Brass
T-10571	 Activation Deactivation	t-ecco activator/deactivator	Stainless steel
960002		Hex tool, SW 0.9 short, L 20mm	Stainless steel
C-015-100029		Hex tool, SW 0.9 long, one-piece L 35mm	Stainless steel

Dalbo®-PLUS/matrice

Article no.		Article	Material
DP-055890		Dalbo PLUS Female TE set elliptical Complete incl. Dalbo PLUS lamella insert	Titanium plus Elitor
DP-055643		Dalbo PLUS lamella insert (no indentation)	Elitor
DP-050068		Dalbo PLUS Tuning soft lamella insert (1 indentation) for ball head abrasion up to 0.05mm	Elitor
DP-055687		Dalbo PLUS Tuning slat insert (2 indentation) for ball head abrasion from 0.05mm	Elitor
DP-072609		Dalbo PLUS tool/activator (per 1/4 turn increases the trigger force by 200g)	Stainless steel

Note: Please be sure to use the Dalbo-PLUS tool (DP-072609) in order to adjust the retention individually according to the situation.

Ø3,3mm

OVERVIEW - PROSTHETICS ICX-Ø3,3mm: ICX Maximus Accessories

Matrices

ICX Maximus Accessories:

Article no.		Article	Material
C-031-852400		Retention insert transparent Pull-off force approx. 2.3 kg, strong Divergence compensation $\pm 10^\circ$	Plastic (pack of 4)
C-031-852700		Retention insert pink Trigger force approx. 1.6 kg, medium Divergence compensation $\pm 10^\circ$	Plastic (pack of 4)
C-031-852900		Retention insert blue Pull-off force approx. 0.7 kg, weak Divergence compensation $\pm 10^\circ$	Plastic (pack of 4)
C-031-854700		Retention insert green Pull-off force approx. 1.8 kg, medium Divergence compensation ± 20	Plastic (pack of 4)
C-031-854800		Retention insert red Pull-off force approx. 0.4 kg, weak Divergence compensation ± 20	Plastic (pack of 4)
C-031-851500		Processing male black, no retention (laboratory)	Plastic (pack of 4)
C-031-852300		ICX-Maximus Block out Spacer, Pack of 2	Plastic (pack of 2)
C-031-851902		Processing package (titanium cap with black laboratory insert, spacer ring and retention inserts)	Titanium/ Plastic (2er Pack)
C-031-851910		Processing package (titanium cap with black laboratory insert, spacer ring and retention inserts)	Titanium/ Plastic (pack of 10)
C-031-009142		Matrice	Titanium
C-015-100032		Core Tool (general purpose tool)	Stainless steel
C-031-850501		Impression post	Titanium (pack of 4)
C-031-853000		Model analogue Ø4mm	Titanium (pack of 4)
C-015-100018		Triangular turning tool 25mm (short)	Stainless steel
C-015-100031		Triangular turning tool 30mm (lang)	Stainless steel

The one, & two-piece ICX Maximus abutments are a proprietary development of medentis medical, compatible with the Locator™ abutments. Available for all ICX implants!

Products marked with ® and ™ are registered trademarks of the respective manufacturer.

OVERVIEW:

ICX-PREMIUM BL-implants/Pack of 6

ICX-PREMIUM Implants BONE LEVEL/Pack of 6

All ICX implants are only available in a pack of 6

Please note

when ordering prosthetic abutments with **GH 0mm**:


ICX-Tissue Level (TL) implants have - due to the tulip - a different platform as the ICX Bone Level (BL) implants.

These prosthetic abutments are explicitly marked in the following.

ICX-PREMIUM (BL) Implants red, Ø 3.75mm

Article no.


C-001-390080	ICX Ø 3.75 x 8mm (pack of 6)
C-001-390100	ICX Ø 3.75 x 10mm (pack of 6)
C-001-390125	ICX Ø 3.75 x 12.5mm (pack of 6)
C-001-390150	ICX Ø 3.75 x 15mm (pack of 6)



ICX-PREMIUM (BL) implants green, Ø 4.1mm

Article no.

C-001-425080	ICX Ø 4.1 x 8mm (pack of 6)
C-001-425100	ICX Ø 4.1 x 10mm (pack of 6)
C-001-425125	ICX Ø 4.1 x 12.5mm (pack of 6)
C-001-425150	ICX Ø 4.1 x 15mm (pack of 6)



ICX-PREMIUM (BL) implants blue, Ø 4.8mm

Article no.

C-001-480080	ICX Ø 4.8 x 8mm (pack of 6)
C-001-480100	ICX Ø 4.8 x 10mm (pack of 6)
C-001-480125	ICX Ø 4.8 x 12.5mm (pack of 6)
C-001-480150	ICX Ø 4.8 x 15mm (pack of 6)



Single implants check out page 28

OVERVIEW: ICX-PREMIUM TL-implants/Pack of 6

ICX-PREMIUM TISSUE LEVEL implants/Pack of 6

All ICX-PREMIUM TISSUE LEVEL implants are available in packs of 6 only

ICX PREMIUM TISSUE LEVEL implants yellow, Ø 3.45mm

Article no.

C-001-345065	ICX Premium TissueLine Implant Ø 3.45 x 6.5mm (pack of 6)
C-001-345080	ICX Premium TissueLine Implant Ø 3.45 x 8mm (pack of 6)
C-001-345100	ICX Premium TissueLine Implant Ø 3.45 x 10mm (pack of 6)
C-001-345125	ICX Premium TissueLine Implant Ø 3.45 x 12.5mm (pack of 6)



ICX PREMIUM TISSUE LEVEL implants red, Ø 3.75mm

Article no.


T-001-375080	ICX Premium TissueLine Implant Ø 3.75 x 8mm (pack of 6) NEW!
T-001-375100	ICX Premium TissueLine Implant Ø 3.75 x 10mm (pack of 6) NEW!
T-001-375125	ICX Premium TissueLine Implant Ø 3.75 x 12.5mm (pack of 6) NEW!



ICX PREMIUM TISSUE LEVEL implants green, Ø 4.1mm

Article no.

T-001-425080	ICX Premium TissueLine Implant Ø 4.1 x 8mm (pack of 6) NEW!
T-001-425100	ICX Premium TissueLine Implant Ø 4.1 x 10mm (pack of 6) NEW!
T-001-425125	ICX Premium TissueLine Implant Ø 4.1 x 12.5mm (pack of 6) NEW!



ICX PREMIUM TISSUE LEVEL implants blue, Ø 4.8mm

Article no.

T-001-480049	ICX Premium TissueLine Implant Ø 4.8 x 4.9mm (pack of 6) NEW!
T-001-480065	ICX Premium TissueLine Implant Ø 4.8 x 6.5mm (pack of 6) NEW!
T-001-480080	ICX Premium TissueLine Implant Ø 4.8 x 8mm (pack of 6) NEW!
T-001-480100	ICX Premium TissueLine Implant Ø 4.8 x 10mm (pack of 6) NEW!
T-001-480125	ICX Premium TissueLine Implant Ø 4.8 x 12.5mm (pack of 6) NEW!



Ø 3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW: ICX-PREMIUM Single implants


ICX-PREMIUM SINGLE-implants

incl. sterile cover screw

ICX-PREMIUM-TISSUE LEVEL Implants yellow, Ø 3.45mm

Article no.


S-001-345065	ICX Premium TissueLine Implant Ø 3.45 x 6.5mm
S-001-345080	ICX Premium TissueLine Implant Ø 3.45 x 8mm
S-001-345100	ICX Premium TissueLine Implant Ø 3.45 x 10mm
S-001-345125	ICX Premium TissueLine Implant Ø 3.45 x 12.5mm



ICX-PREMIUM (BL) Implants red, Ø 3.75mm

Article no.

S-001-390080	ICX Ø 3.75 x 8mm
S-001-390100	ICX Ø 3.75 x 10mm
S-001-390125	ICX Ø 3.75 x 12.5mm
S-001-390150	ICX Ø 3.75 x 15mm



ICX-PREMIUM (BL) implants green, Ø 4.1mm

Article no.

S-001-425080	ICX Ø 4.1 x 8mm
S-001-425100	ICX Ø 4.1 x 10mm
S-001-425125	ICX Ø 4.1 x 12.5mm
S-001-425150	ICX Ø 4.1 x 15mm



ICX-PREMIUM (BL) implants blue, Ø 4.8mm

Article no.

S-001-480080	ICX Ø 4.8 x 8mm
S-001-480100	ICX Ø 4.8 x 10mm
S-001-480125	ICX Ø 4.8 x 12.5mm
S-001-480150	ICX Ø 4.8 x 15mm



Note:

medentis medical offers you instruction manuals on the following website: ifu.medentis.de

There you can find the manuals for use by entering the article number or retrieve the currently valid instructions for use of the product groups. The prerequisite is an Internet-capable end device at which PDF documents can be opened. If you would like to have the paper version of the instructions for use, please contact us and we will send it to you with UPS Express Saver free of charge by noon on the next working day. Alternatively, the user manual can also be faxed or sent by e-mail. Only valid for the countries Germany, Austria and Switzerland.


OVERVIEW: ICX-ACTIVE MASTER implants/Pack of 6

ICX-ACTIVE-MASTER BONE LEVEL implants/Pack of 6

All ICX-ACTIVE-MASTER implants are only available in a pack of 6


ICX-ACTIVE-MASTER Implants red, Ø 3.75mm

Article no.	
ACM-001-390080	ICX-ACTIVE-MASTER Ø 3.75 · L 8mm (Pack of 6)
ACM-001-390100	ICX-ACTIVE-MASTER Ø 3.75 · L 10mm (Pack of 6)
ACM-001-390125	ICX-ACTIVE-MASTER Ø 3.75 · L 12.5mm (Pack of 6)
ACM-001-390150	ICX-ACTIVE-MASTER Ø 3.75 · L 15mm (Pack of 6)



ICX-ACTIVE-MASTER Implants green, Ø 4.1mm

Article no.	
ACM-001-425080	ICX-ACTIVE-MASTER Ø 4.1 · L 8mm (Pack of 6)
ACM-001-425100	ICX-ACTIVE-MASTER Ø 4.1 · L 10mm (Pack of 6)
ACM-001-425125	ICX-ACTIVE-MASTER Ø 4.1 · L 12.5mm (Pack of 6)
ACM-001-425150	ICX-ACTIVE-MASTER Ø 4.1 · L 15mm (Pack of 6)



ICX-ACTIVE-MASTER Implants blue, Ø 4.8mm

Article no.	
ACM-001-480080	ICX-ACTIVE-MASTER Ø 4.8 · L 8mm (Pack of 6)
ACM-001-480100	ICX-ACTIVE-MASTER Ø 4.8 · L 10mm (Pack of 6)
ACM-001-480125	ICX-ACTIVE-MASTER Ø 4.8 · L 12.5mm (Pack of 6)
ACM-001-480150	ICX-ACTIVE-MASTER Ø 4.8 · L 15mm (Pack of 6)



Ø 3,45 / 3,75 / 4,1 / 4,8mm

ICX-SHOP!



BE SMART. BE ICX.




OVERVIEW: ICX-ACTIVE MASTER BL Single implants

ICX-ACTIVE-MASTER BONE LEVEL Single implants incl. sterile cover screw

ICX-ACTIVE-MASTER Implants red, Ø 3.75mm

Article no.


S-ACM-001-390080	ICX-ACTIVE-MASTER Ø 3.75 · L 8mm (Pack of 6)
S-ACM-001-390100	ICX-ACTIVE-MASTER Ø 3.75 · L 10mm (Pack of 6)
S-ACM-001-390125	ICX-ACTIVE-MASTER Ø 3.75 · L 12.5mm (Pack of 6)
S-ACM-001-390150	ICX-ACTIVE-MASTER Ø 3.75 · L 15mm (Pack of 6)



ICX-ACTIVE-MASTER Implants green, Ø 4.1mm

Article no.

S-ACM-001-425080	ICX-ACTIVE-MASTER Ø 4.1 · L 8mm (Pack of 6)
S-ACM-001-425100	ICX-ACTIVE-MASTER Ø 4.1 · L 10mm (Pack of 6)
S-ACM-001-425125	ICX-ACTIVE-MASTER Ø 4.1 · L 12.5mm (Pack of 6)
S-ACM-001-425150	ICX-ACTIVE-MASTER Ø 4.1 · L 15mm (Pack of 6)



ICX-ACTIVE-MASTER Implants blue, Ø 4.8mm

Article no.

S-ACM-001-480080	ICX-ACTIVE-MASTER Ø 4.8 · L 8mm (Pack of 6)
S-ACM-001-480100	ICX-ACTIVE-MASTER Ø 4.8 · L 10mm (Pack of 6)
S-ACM-001-480125	ICX-ACTIVE-MASTER Ø 4.8 · L 12.5mm (Pack of 6)
S-ACM-001-480150	ICX-ACTIVE-MASTER Ø 4.8 · L 15mm (Pack of 6)



ICX-SHOP!



BE SMART. BE ICX.



Ø 3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW: ICX-ACTIVE MASTER TL implants/Pack of 6

ICX-ACTIVE-MASTER TISSUE LEVEL implants Pack of 6

All ICX-ACTIVE MASTER TISSUE LEVEL implants are only available in packs of 6.

Please note

when ordering prosthetic abutments with **GH 0mm**:


ICX-Tissue Level (TL) implants have - due to the tulip - a different platform as the ICX Bone Level (BL) implants.

These prosthetic abutments are explicitly marked in the following.

ICX-ACTIVE MASTER-TISSUE LEVEL implants red, Ø 3.75mm

Article no.


TAM-001-390080	ICX Active Master TissueLine Implant Ø 3.75 x 8mm (Pack Of 6)
TAM-001-390100	ICX Active Master TissueLine Implant Ø 3.75 x 10mm (Pack Of 6)
TAM-001-390125	ICX Active Master TissueLine Implant Ø 3.75 x 2.5mm (Pack Of 6)



ICX-ACTIVE MASTER-TISSUE LEVEL implants green, Ø 4.1mm

Article no.


TAM-001-425080	ICX Active Master TissueLine Implant Ø 4.1 x 8mm (Pack Of 6)
TAM-001-425100	ICX Active Master TissueLine Implant Ø 4.1 x 10mm (Pack Of 6)
TAM-001-425125	ICX Active Master TissueLine Implant Ø 4.1 x 12.5mm (Pack Of 6)



ICX-ACTIVE MASTER-TISSUE LEVEL implants blue, Ø 4.8mm

Article no.

TAM-001-480080	ICX Active Master TissueLine Implant Ø 4.8 x 8mm (Pack Of 6)
TAM-001-480100	ICX Active Master TissueLine Implant Ø 4.8 x 10mm (Pack Of 6)
TAM-001-480125	ICX Active Master TissueLine Implant Ø 4.8 x 12.5mm (Pack Of 6)



Ø3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW: ICX-ACTIVE LIQUID Implants

ICX-ACTIVE LIQUID/Pack of 6

only in a pack of 6.

Article no.	Article	Dimensions	Material
LAC-330080	ICX-Active Liquid	Ø 3.3mm, Length 8mm	Titanium
LAC-330100	ICX-Active Liquid	Ø 3.3mm, Length 10mm	Titanium
LAC-330125	ICX-Active Liquid	Ø 3.3mm, Length 12.5mm	Titanium
LAC-390080	ICX-Active Liquid	Ø 3.75mm, Length 8mm	Titanium
LAC-390100	ICX-Active Liquid	Ø 3.75mm, Length 10mm	Titanium
LAC-390125	ICX-Active Liquid	Ø 3.75mm, Length 12.5mm	Titanium
LAC-390150	ICX-Active Liquid	Ø 3.75mm, Length 15mm	Titanium
LAC-425080	ICX-Active Liquid	Ø 4.1mm, Length 8mm	Titanium
LAC-425100	ICX-Active Liquid	Ø 4.1mm Length 10mm	Titanium
LAC-425125	ICX-Active Liquid	Ø 4.1mm, Length 12.5mm	Titanium
LAC-425150	ICX-Active Liquid	Ø 4.1mm, Length 15mm	Titanium
LAC-480080	ICX-Active Liquid	Ø 4.8mm, Length 8mm	Titanium
LAC-480100	ICX-Active Liquid	Ø 4.8mm, Length 10mm	Titanium
LAC-480125	ICX-Active Liquid	Ø 4.8mm, Length 12.5mm	Titanium
LAC-480150	ICX-Active Liquid	Ø 4.8mm, Length 15mm	Titanium



ICX-ACTIVE LIQUID/Single-Pack

only available in single pack, incl. 1 cover screw!

Article no.	Article	Dimensions	Material
S-LAC-330080	ICX-Active Liquid	Ø 3.3mm, Length 8mm	Titanium
S-LAC-330100	ICX-Active Liquid	Ø 3.3mm, Length 10mm	Titanium
S-LAC-330125	ICX-Active Liquid	Ø 3.3mm, Length 12.5mm	Titanium
S-LAC-390080	ICX-Active Liquid	Ø 3.75mm, Length 8mm	Titanium
S-LAC-390100	ICX-Active Liquid	Ø 3.75mm, Length 10mm	Titanium
S-LAC-390125	ICX-Active Liquid	Ø 3.75mm, Length 12.5mm	Titanium
S-LAC-390150	ICX-Active Liquid	Ø 3.75mm, Length 15mm	Titanium
S-LAC-425080	ICX-Active Liquid	Ø 4.1mm, Length 8mm	Titanium
S-LAC-425100	ICX-Active Liquid	Ø 4.1mm Length 10mm	Titanium
S-LAC-425125	ICX-Active Liquid	Ø 4.1mm, Length 12.5mm	Titanium
S-LAC-425150	ICX-Active Liquid	Ø 4.1mm, Length 15mm	Titanium
S-LAC-480080	ICX-Active Liquid	Ø 4.8mm, Length 8mm	Titanium
S-LAC-480100	ICX-Active Liquid	Ø 4.8mm, Length 10mm	Titanium
S-LAC-480125	ICX-Active Liquid	Ø 4.8mm, Length 12.5mm	Titanium
S-LAC-480150	ICX-Active Liquid	Ø 4.8mm, Length 15mm	Titanium



Ø 3,45 / 3,75 / 4,1 / 4,8mm

GiganTium[®]

The Elite-Material.



- ↳ $\geq 1.100 \text{ MPa}$
- ↳ 100 % Pure titanium 4KV

We are not aware of any pure titanium that is stronger than Gigantium!

The elite material – exclusively for

ICX-DIAMOND[®]
THE ELITE IMPLANT FROM MEDENTIS MEDICAL. **LIQUID**



ONE VISION – BE SMART. BE ICX.

medentis
medical

OVERVIEW: ICX-DIAMOND BL/TL LIQUID Implants

ICX-DIAMOND PREMIUM BL LIQUID/Pack of 6 freely selectable, made of GiganTium

Article no.	Article	Dimensions	Material
G-001-330080	ICX-Diamond Premium BL	Ø 3.3x8mm	GiganTium
G-001-330100	ICX-Diamond Premium BL	Ø 3.3x10mm	GiganTium
G-001-330125	ICX-Diamond Premium BL	Ø 3.3x12.5mm	GiganTium
G-001-390080	ICX-Diamond Premium BL	Ø 3.75x8mm	GiganTium
G-001-390100	ICX-Diamond Premium BL	Ø 3.75x10mm	GiganTium
G-001-390125	ICX-Diamond Premium BL	Ø 3.75x12.5mm	GiganTium
G-001-390150	ICX-Diamond Premium BL	Ø 3.75x15mm	GiganTium
G-001-425080	ICX-Diamond Premium BL	Ø 4.1x8mm	GiganTium
G-001-425100	ICX-Diamond Premium BL	Ø 4.1x10mm	GiganTium
G-001-425125	ICX-Diamond Premium BL	Ø 4.1x12.5mm	GiganTium
G-001-425150	ICX-Diamond Premium BL	Ø 4.1x15mm	GiganTium
G-001-480080	ICX-Diamond Premium BL	Ø 4.8x8mm	GiganTium
G-001-480100	ICX-Diamond Premium BL	Ø 4.8x10mm	GiganTium
G-001-480125	ICX-Diamond Premium BL	Ø 4.8x12.5mm	GiganTium
G-001-480150	ICX-Diamond Premium BL	Ø 4.8x15mm	GiganTium

BONELEVEL



ICX-DIAMOND PREMIUM TL LIQUID/Pack of 6 freely selectable, made of GiganTium

Article no.	Article	Dimensions	Material
GT-001-330080	ICX-Diamond Premium TL	3.3x8mm	GiganTium
GT-001-330100	ICX-Diamond Premium TL	3.3x10mm	GiganTium
GT-001-330125	ICX-Diamond Premium TL	3.3x12.5mm	GiganTium
GT-001-345065	ICX-Diamond Premium TL	3.45x6.5mm	GiganTium
GT-001-345080	ICX-Diamond Premium TL	3.45x8mm	GiganTium
GT-001-345100	ICX-Diamond Premium TL	3.45x10mm	GiganTium
GT-001-345125	ICX-Diamond Premium TL	3.45x12.5mm	GiganTium
GT-001-390080	ICX-Diamond Premium TL	3.75x8mm	GiganTium
GT-001-390100	ICX-Diamond Premium TL	3.75x10mm	GiganTium
GT-001-390125	ICX-Diamond Premium TL	3.75x12.5mm	GiganTium
GT-001-425080	ICX-Diamond Premium TL	4.1x8mm	GiganTium
GT-001-425100	ICX-Diamond Premium TL	4.1x10mm	GiganTium
GT-001-425125	ICX-Diamond Premium TL	4.1x12.5mm	GiganTium
GT-001-480049	ICX-Diamond Premium TL	4.8x4.9mm	GiganTium
GT-001-480065	ICX-Diamond Premium TL	4.8x6.5mm	GiganTium
GT-001-480080	ICX-Diamond Premium TL	4.8x8mm	GiganTium
GT-001-480100	ICX-Diamond Premium TL	4.8x10mm	GiganTium
GT-001-480125	ICX-Diamond Premium TL	4.8x12.5mm	GiganTium

TISSUE LEVEL



Ø 3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW: ICX-DIAMOND BL/TL LIQUID Implants

ICX-DIAMOND ACTIVE MASTER BL LIQUID/Pack of 6 freely selectable, made of GiganTium

Article no.	Article	Dimensions	Material
GAM-001-330080	ICX-Diamond Active Master BL	Ø 3.3x8mm	GiganTium
GAM-001-330100	ICX-Diamond Active Master BL	Ø 3.3x10mm	GiganTium
GAM-001-330125	ICX-Diamond Active Master BL	Ø 3.3x12.5mm	GiganTium
GAM-001-390080	ICX-Diamond Active Master BL	Ø 3.75x8mm	GiganTium
GAM-001-390100	ICX-Diamond Active Master BL	Ø 3.75x10mm	GiganTium
GAM-001-390125	ICX-Diamond Active Master BL	Ø 3.75x12.5mm	GiganTium
GAM-001-390150	ICX-Diamond Active Master BL	Ø 3.75x15mm	GiganTium
GAM-001-425080	ICX-Diamond Active Master BL	Ø 4.1x8mm	GiganTium
GAM-001-425100	ICX-Diamond Active Master BL	Ø 4.1x10mm	GiganTium
GAM-001-425125	ICX-Diamond Active Master BL	Ø 4.1x12.5mm	GiganTium
GAM-001-425150	ICX-Diamond Active Master BL	Ø 4.1x15mm	GiganTium
GAM-001-480080	ICX-Diamond Active Master BL	Ø 4.8x8mm	GiganTium
GAM-001-480100	ICX-Diamond Active Master BL	Ø 4.8x10mm	GiganTium
GAM-001-480125	ICX-Diamond Active Master BL	Ø 4.8x12.5mm	GiganTium
GAM-001-480150	ICX-Diamond Active Master BL	Ø 4.8x15mm	GiganTium

BONELEVEL




Ø 3,45 / 3,75 / 4,1 / 4,8mm

ICX-DIAMOND ACTIVE MASTER TL LIQUID/Pack of 6 freely selectable, made of GiganTium

Article no.	Article	Dimensions	Material
GTAM-001-330080	ICX-Diamond Active Master TL	3.3x8mm	GiganTium
GTAM-001-330100	ICX-Diamond Active Master TL	3.3x10mm	GiganTium
GTAM-001-330125	ICX-Diamond Active Master TL	3.3x12.5mm	GiganTium
GTAM-001-390080	ICX-Diamond Active Master TL	3.75x8mm	GiganTium
GTAM-001-390100	ICX-Diamond Active Master TL	3.75x10mm	GiganTium
GTAM-001-390125	ICX-Diamond Active Master TL	3.75x12.5mm	GiganTium
GTAM-001-425080	ICX-Diamond Active Master TL	4.1x8mm	GiganTium
GTAM-001-425100	ICX-Diamond Active Master TL	4.1x10mm	GiganTium
GTAM-001-425125	ICX-Diamond Active Master TL	4.1x12.5mm	GiganTium
GTAM-001-480080	ICX-Diamond Active Master TL	4.8x8mm	GiganTium
GTAM-001-480100	ICX-Diamond Active Master TL	4.8x10mm	GiganTium
GTAM-001-480125	ICX-Diamond Active Master TL	4.8x12.5mm	GiganTium

TISSUE LEVEL



*Only available in packs of 6, freely selectable Definition of GiganTium = Pure Titanium Grade 4KV with 1,100 MPa.

OVERVIEW: ICX-ZYGOMA Implants & Drills

ICX-ZYGOMA-Implants

Ø 4.1mm

Article no.	Article	Dimensions	Material
ZYG-001-300300	ICX-Zygoma Implant	Ø4.1x30mm round	Titanium
ZYG-001-300325	ICX-Zygoma Implant	Ø4.1x32.5mm round	Titanium
ZYG-001-300350	ICX-Zygoma Implant	Ø4.1x35mm round	Titanium
ZYG-001-300375	ICX-Zygoma Implant	Ø4.1x37.5mm round	Titanium
ZYG-001-300400	ICX-Zygoma Implant	Ø4.1x40mm round	Titanium
ZYG-001-300425	ICX-Zygoma Implant	Ø4.1x42.5mm round	Titanium
ZYG-001-300450	ICX-Zygoma Implant	Ø4.1x45mm round	Titanium
ZYG-001-300475	ICX-Zygoma Implant	Ø4.1x47.5mm round	Titanium
ZYG-001-300500	ICX-Zygoma Implant	Ø4.1x50mm round	Titanium
ZYG-001-300525	ICX-Zygoma Implant	Ø4.1x52.5mm round	Titanium
ZYG-001-300550	ICX-Zygoma Implant	Ø4.1x55mm round	Titanium
ZYG-001-337300	ICX-Zygoma Implant	Ø3.75x30mm round	Titanium
ZYG-001-337325	ICX-Zygoma Implant	Ø3.75x32.5mm round	Titanium
ZYG-001-337350	ICX-Zygoma Implant	Ø3.75x35mm round	Titanium
ZYG-001-337375	ICX-Zygoma Implant	Ø3.75x37.5mm round	Titanium
ZYG-001-337400	ICX-Zygoma Implant	Ø3.75x40mm round	Titanium
ZYG-001-337425	ICX-Zygoma Implant	Ø3.75x42.5mm round	Titanium
ZYG-001-337450	ICX-Zygoma Implant	Ø3.75x45mm round	Titanium
ZYG-001-337475	ICX-Zygoma Implant	Ø3.75x47.5mm round	Titanium
ZYG-001-337500	ICX-Zygoma Implant	Ø3.75x50mm round	Titanium
ZYG-001-337525	ICX-Zygoma Implant	Ø3.75x52.5mm round	Titanium
ZYG-001-337550	ICX-Zygoma Implant	Ø3.75x55mm round	Titanium



ICX-ZYGOMA-drills

Article no.	Article	Dimensions	Material
ZYG-014-220350	ICX-Zygoma Sroll	Ø2.2 x 35mm	Titanium
ZYG-014-220450	ICX.Zygoma Sroll	Ø2.2 x 45mm	Titanium
ZYG-014-220550	ICX-Zygoma Sroll	Ø2.2 x 55mm	Titanium
ZYG-014-270350	ICX-Zygoma Sroll	Ø2.7 x 35mm	Titanium
ZYG-014-270450	ICX-Zygoma Sroll	Ø2.7 x 45mm	Titanium
ZYG-014-270550	ICX-Zygoma Sroll	Ø2.7 x 55mm	Titanium
ZYG-014-003350	ICX-Zygoma Bohrer	Ø3,15 x 35mm	Titanium
ZYG-014-003450	ICX-Zygoma Bohrer	Ø3,15 x 45mm	Titanium
ZYG-014-003550	ICX-Zygoma Bohrer	Ø3,15 x 55mm	Titanium
ZYG-014-007350	ICX-Zygoma Bohrer	Ø3,6 x 35mm	Titanium
ZYG-014-007450	ICX-Zygoma Bohrer	Ø3,6 x 45mm	Titanium
ZYG-014-007550	ICX-Zygoma Bohrer	Ø3,6 x 55mm	Titanium



OVERVIEW: ICX-ACTIVE-WHITE / ICX-TUBER / Implants

ICX-TUBER-Implants

Ø 4.1mm

Article no.	Article	Material
	ICX-TUBER implants – only available in single packs!	
GAM-001-425175	Ø 4.1mm, length 17.5mm, ICX-TUBER Implant	Titanium
GAM-001-425200	Ø 4.1mm, length 20.0mm, ICX-TUBER Implant	Titanium
GAM-001-425225	Ø 4.1mm, length 22.5mm, ICX-TUBER Implant	Titanium
GAM-001-425250	Ø 4.1mm, length 25.0mm, ICX-TUBER Implant	Titanium



ICX-ACTIVE-WHITE-Ceramic implants (one-piece)

Article no.

AW-002-425080	ICX-ACTIVE WHITE-Implant Ø 4.1 · L 8mm, one-piece, GH 2.5mm, K 4.5mm
AW-002-425100	ICX-ACTIVE WHITE-Implant Ø 4.1 · L 10mm, one-piece, GH 2.5mm, K 4.5mm
AW-002-425125	ICX-ACTIVE WHITE-Implant Ø 4.1 · L 12.5mm, one-piece, GH 2.5mm, K 4.5mm
AW-002-425150	ICX-ACTIVE WHITE-Implant Ø 4.1 · L 15mm, one-piece, GH 2.5mm, K 4.5mm
AW-002-426080	ICX-ACTIVE WHITE-Implant Ø 4.1 · L 8mm, one-piece, GH 4.5mm, K 4.5mm
AW-002-426100	ICX-ACTIVE WHITE-Implant Ø 4.1 · L 10mm, one-piece, GH 4.5mm, K 4.5mm
AW-002-426125	ICX-ACTIVE WHITE-Implant Ø 4.1 · L 12.5mm, one-piece, GH 4.5mm, K 4.5mm
AW-002-426150	ICX-ACTIVE WHITE-Implant Ø 4.1 · L 15mm, one-piece, GH 4.5mm, K 4.5mm

GH 2.5mm
Ø 4.1mm



GH 4.5mm
Ø 4.1mm




Note: GH = Gingiva height

C-021-000002	ICX insertion tool for ICX-ACTIVE WHITE		L 25.6mm	Stainless steel
--------------	--	---	----------	-----------------


The subsequent impression is taken without impression caps and laboratory analogues, using the classic die impression in the practice through to the subsequent saw model in the laboratory.



OVERVIEW: ICX-ALL-IN-ONE drills


Article no.	Article	
C-018-100001	ICX-All-in-one Box, filled	
AIO-014-007290	ICX-All-in-one Drill Ø 2.9 white ○	
AIO-014-007330	ICX-All-in-one Drill Ø 3.3 pink ●	
AIO-014-007345	ICX-All-in-one Drill Ø 3.45 yellow ●	
AIO-014-007375	ICX-All-in-one Drill Ø 3.75 red ●	
AIO-014-007410	ICX-All-in-one Drill Ø 4.1 green ●	
AIO-014-007480	ICX-All-in-one Drill Ø 4.8 blue ●	
AIO-014-200000	ICX-All-in-one pilot drill	
AIO-014-290080	ICX-All-in-one Drill Ø 2,9 x 8mm, white ○	
AIO-014-290100	ICX-All-in-one Drill Ø 2.9 x 10mm, white ○	
AIO-014-290125	ICX-All-in-one Drill Ø 2.9 x 12.5mm, white ○	
AIO-014-330080	ICX-All-in-one Drill Ø 3.3 x 8mm, pink ●	
AIO-014-330100	ICX-All-in-one Drill Ø 3.3 x 10mm, pink ●	
AIO-014-330125	ICX-All-in-one Drill Ø 3.3 x 12.5mm, pink ●	
AIO-014-345065	ICX-All-in-one Drill Ø 3.45 x 6.5mm, yellow ●	
AIO-014-345080	ICX-All-in-one Drill Ø 3.45 x 8mm, yellow ●	
AIO-014-345100	ICX-All-in-one Drill Ø 3.45 x 10mm, yellow ●	

OVERVIEW: ICX-ALL-IN-ONE drills

AIO-014-345125	ICX-All-in-one Drill Ø 3.45 x 12.5mm, yellow ●	
AIO-014-375080	ICX-All-in-one Drill Ø 3.75 x 8mm, red ●	
AIO-014-375100	ICX-All-in-one Drill Ø 3.75 x 10mm, red ●	
AIO-014-375125	ICX-All-in-one Drill Ø 3.75 x 12.5mm, red ●	
AIO-014-375150	ICX-All-in-one Drill Ø 3.75 x 15mm, red ●	
AIO-014-410080	ICX-All-in-one Drill Ø 4.1 x 8mm, green ●	
AIO-014-410100	ICX-All-in-one Drill Ø 4.1 x 10mm, green ●	
AIO-014-410125	ICX-All-in-one Drill Ø 4.1 x 12.5mm, green ●	
AIO-014-410150	ICX-All-in-one Drill Ø 4.1 x 15mm, green ●	
AIO-014-480049	ICX-All-in-one Drill Ø 4.8 x 4.9mm, blue ●	
AIO-014-480065	ICX-All-in-one Drill Ø 4.8 x 6.5mm, blue ●	
AIO-014-480080	ICX-All-in-one Drill Ø 4.8 x 8mm, blue ●	
AIO-014-480100	ICX-All-in-one Drill Ø 4.8 x 10mm, blue ●	
AIO-014-480125	ICX-All-in-one Drill Ø 4.8 x 12.5mm, blue ●	
AIO-014-480150	ICX-All-in-one Drill Ø 4.8 x 15mm, blue ●	
AIO-014-004330	ICX-All-in-one Thread drill Ø 3.3 pink ●	
AIO-014-004375	ICX-All-in-one Thread drill Ø 3.75 red ●	
AIO-014-004410	ICX-All-in-one Thread drill Ø 4.1 green ●	
AIO-014-004480	ICX-All-in-one Thread drill Ø 4.8 blue ●	

OVERVIEW: ICX-WASH-TRAY for ICX-ALL-IN-ONE Box

Pos.	Quantity	Article no.	Diameter	Description
1	2	AIO-014-200000	Ø 2.0	All in one drill
2	1	AIO-014-290080	Ø 2.9 x 8	All in one drill
3	1	AIO-014-290100	Ø 2.9 x 10	All in one drill
4	1	AIO-014-290125	Ø 2.9 x 12.5	All in one drill
5	1	AIO-014-007290	Ø 2.9 D1	All in one drill
6	1	AIO-014-330080	Ø 3.3 x 8	All in one drill
7	1	AIO-014-330100	Ø 3.3 x 10	All in one drill
8	1	AIO-014-330125	Ø 3.3 x 12.5	All in one drill
9	1	AIO-014-007330	Ø 3.3 D1	All in one drill
10	1	AIO-014-004330	Ø 3.3	All in one tap
11	1	AIO-014-345065	Ø 3.45 x 6.5	All in one drill
12	1	AIO-014-345080	Ø 3.45 x 8	All in one drill
13	1	AIO-014-345100	Ø 3.45 x 10	All in one drill
14	1	AIO-014-345125	Ø 3.45 x 12.5	All in one drill
15	1	AIO-014-007345	Ø 3.45 D1	All in one drill
16	1	AIO-014-375080	Ø 3.75 x 8	All in one drill
17	1	AIO-014-375100	Ø 3.75 x 10	All in one drill
18	1	AIO-014-375125	Ø 3.75 x 12.5	All in one drill
19	1	AIO-014-375150	Ø 3.75 x 15	All in one drill
20	1	AIO-014-007375	Ø 3.75. D1	All in one drill
21	1	AIO-014-004375	Ø 3.75	All in one tap drill




OVERVIEW: ICX-WASH-TRAY for ICX-ALL-IN-ONE Box


Pos.	Quantity	Article no.	Diameter	Description
22	1	AIO-014-410080	Ø 4.1 x 8	All in one drill
23	1	AIO-014-410100	Ø 4.1 x 10	All in one drill
24	1	AIO-014-410125	Ø 4.1 x 12.5	All in one drill
25	1	AIO-014-410150	Ø 4.1 x 15	All in one drill
26	1	AIO-014-007410	Ø 4.1. D1	All in one drill
27	1	AIO-014-004410	Ø 4.1	All in one tap
28	1	AIO-014-480049	Ø 4.8 x 4.9	All in one drill
29	1	AIO-014-480065	Ø 4.8 x 6.5	All in one drill
30	1	AIO-014-480080	Ø 4.8 x 8	All in one drill
31	1	AIO-014-480100	Ø 4.8 x 10	All in one drill
32	1	AIO-014-480125	Ø 4.8 x 12.5	All in one drill
33	1	AIO-014-480150	Ø 4.8 x 15	All in one drill
34	1	AIO-014-007480	Ø 4.8. D1	All in one drill
35	1	AIO-014-004480	Ø 4.8	All in one tap drill
36	4	C-014-350410	Ø=3.5/4.1mm	parallel pin
37	4	C-014-230315	Ø=2.3/3.15mm	parallel pin
38	1	960004		drill extension
39	1	C-014-006002		bone drill
40	1	C-014-006003	rose	ICX 3.3 bone drill
41	1	C-014-000003		Crestotom Drill
42	1	C-015-100007	ICX T-bona screw	ICX t-bona insertion instrument ISO shaft
43	1	C-020-000001	L=24mm	Multi insertion instrument ISO shaft
44	1	960002	hex 0.9mm L=20mm	ISO shaft screwdriver
45	1	C-015-100006		ICX Mini insertion instrument ISO shaft
46	1	C-015-100033	hex 1.2mm middle	ISO shaft screwdriver
47	1	N-015-100002	L=29mm	ICX-3.3 insertion instrument ISO-Schaft
48	1	950098	hex 1.4mm middle	ISO shaft screwdriver
49	1	C-015-100002	L=29mm	ICX insertion instrument ISO-Schaft
50	2	960007		Universal ratchet adapter
51	1	C-015-100029	hex 0.9mm	screwdriver
52	1	C-015-100030	hex 1.2mm middle	screwdriver
53	1	C-015-100025	hex 1.4mm middle	screwdriver
54	1	C-015-100009		ICX-Mini counter tool
55	1	C-015-100003		depth gauge
56	1	960001		torque ratchet
57	1	C-018-010004		ICX-Wash-Tray AIO empty



OVERVIEW: ICX-MAGELLAN BOX Content




Assignment of individual position numbers to items in the ICX-MAGELLAN Box.




OVERVIEW: ICX-MAGELLAN BOX Content

Pos.	Quantity	Article no.	Article	Length/ colour
1	1	C-032-133008	ICX Magellan Drill	L=8mm, rose I,D1
2	1	C-032-033008	ICX Magellan Drill	L=8mm, rose I,D2-D3
3	1	C-032-333008	ICX Magellan Drill	L=8mm, rose I,D4
4	1	C-032-133010	ICX Magellan Drill	L=10mm, rose I,D1
5	1	C-032-033010	ICX Magellan Drill	L=10mm, rose I,D2-D3
6	1	C-032-333010	ICX Magellan Drill	L=10mm, rose I,D4
7	1	C-032-133012	ICX Magellan Drill	L=12.5mm, rose I,D1
8	1	C-032-033012	ICX Magellan Drill	L=12.5mm, rose I,D2-D3
9	1	C-032-333012	ICX Magellan Drill	L=12.5mm, rose I,D4
10	1	C-032-134506	ICX Magellan Drill	L=6.5mm, yellow III, D1
11	1	C-032-034506	ICX Magellan Drill	L=6.5mm, yellow II, D2-3
12	1	C-032-334506	ICX Magellan Drill	L=6.5mm, yellow I, D4
13	1	C-032-134508	ICX Magellan Drill	L=8mm, yellow III, D1
14	1	C-032-034508	ICX Magellan Drill	L=8mm, yellow II, D2-3
15	1	C-032-334508	ICX Magellan Drill	L=8mm, yellow I, D4
16	1	C-032-134510	ICX Magellan Drill	L=10mm, yellow III, D1
17	1	C-032-034510	ICX Magellan Drill	L=10mm, yellow II, D2-3
18	1	C-032-334510	ICX Magellan Drill	L=10mm, yellow I, D4
19	1	C-032-134512	ICX Magellan Drill	L=12.5mm, yellow III, D1
20	1	C-032-034512	ICX Magellan Drill	L=12.5mm, yellow II, D2-3
21	1	C-032-334512	ICX Magellan Drill	L=12.5mm, yellow I, D4
22	1	C-032-137508	ICX Magellan Drill	L=8mm, red III, D1
23	1	C-032-037508	ICX Magellan Drill	L=8mm, red II, D2-3
24	1	C-032-337508	ICX Magellan Drill	L=8mm, red I, D4
25	1	C-032-137510	ICX Magellan Drill	L=10mm, red III, D1
26	1	C-032-037510	ICX Magellan Drill	L=10mm, red II, D2-3
27	1	C-032-337510	ICX Magellan Drill	L=10mm, red I, D4
28	1	C-032-137512	ICX Magellan Drill	L=12.5mm, red III, D1
29	1	C-032-037512	ICX Magellan Drill	L=12.5mm, red II, D2-3
30	1	C-032-337512	ICX Magellan Drill	L=12.5mm, red I, D4
31	1	C-032-137515	ICX Magellan Drill	L=15mm, red III, D1
32	1	C-032-037515	ICX Magellan Drill	L=15mm, red II, D2-3
33	1	C-032-337515	ICX Magellan Drill	L=15mm, red I, D4
34	1	C-032-141008	ICX Magellan Drill	L=8mm, green III, D1
35	1	C-032-041008	ICX Magellan Drill	L=8mm, green II, D2-3
36	1	C-032-341008	ICX Magellan Drill	L=8mm, green I, D4
37	1	C-032-141010	ICX Magellan Drill	L=10mm, green III, D1
38	1	C-032-041010	ICX Magellan Drill	L=10mm, green II, D2-3
39	1	C-032-341010	ICX Magellan Drill	L=10mm, green I, D4
40	1	C-032-141012	ICX Magellan Drill	L=12.5mm, green III, D1
41	1	C-032-041012	ICX Magellan Drill	L=12.5mm, green II, D2-3
42	1	C-032-341012	ICX Magellan Drill	L=12.5mm, green I, D4
43	1	C-032-141015	ICX Magellan Drill	L=15mm, green III, D1
44	1	C-032-041015	ICX Magellan Drill	L=15mm, green II, D2-3
45	1	C-032-341015	ICX Magellan Drill	L=15mm, green I, D4

OVERVIEW: ICX-MAGELLAN BOX Content



Assignment of individual position numbers to items in the ICX-MAGELLAN Box.




OVERVIEW: ICX-MAGELLAN BOX Content

Pos.	Quantity	Article no.	Article	Length/ colour
46	1	C-032-148008	ICX Magellan Drill	L=8mm, blue III, D1
47	1	C-032-048008	ICX Magellan Drill	L=8mm, blue II, D2-3
48	1	C-032-348008	ICX Magellan Drill	L=8mm, blue I, D4
49	1	C-032-148010	ICX Magellan Drill	L=10mm, blue III, D1
50	1	C-032-048010	ICX Magellan Drill	L=10mm, blue II, D2-3
51	1	C-032-348010	ICX Magellan Drill	L=10mm, blue I, D4
52	1	C-032-148012	ICX Magellan Drill	L=12.5mm, blue III, D1
53	1	C-032-048012	ICX Magellan Drill	L=12.5mm, blue II, D2-3
54	1	C-032-348012	ICX Magellan Drill	L=12.5mm, blue I, D4
55	1	C-032-148015	ICX Magellan Drill	L=15mm, blue III, D1
56	1	C-032-048015	ICX Magellan Drill	L=15mm, blue II, D2-3
57	1	C-032-348015	ICX Magellan Drill	L=15mm, blue I, D4
58	1	C-032-033000	ICX Magellan Gingival Punch	rose
59	1	C-032-034500	ICX Magellan Gingival Punch	yellow
60	1	C-032-037500	ICX Magellan Gingival Punch	red
61	1	C-032-041000	ICX Magellan Gingival Punch	green
62	1	C-032-048000	ICX Magellan Gingival Punch	blue
63	1	C-032-000025	Magellan pilot drill	rose
64	1	C-032-000024	ICX Cortical drill	rose
65	1	C-032-000021	ICX Magellan centring drill	
66	1	C-032-000022	ICX Magellan pilot drill	L=6.5mm
67	1	C-032-233000	ICX Magellan stop drill	rose
68	1	C-032-234500	ICX Magellan stop drill	yellow
69	1	C-032-237500	ICX Magellan stop drill	red
70	1	C-032-241000	ICX Magellan stop drill	green
71	1	C-032-248000	ICX Magellan stop drill	blue
72	1	C-032-000020	ICX Magellan drill	D=1.5mm
73	4	C-032-000013	ICX Magellan Fixing pin	D=1.5mm
74	1	C-032-022150	ICX Magellan drill	D=2.2mm long
75	1	C-032-000026	ICX 3.3 Magellan insertion instrument	
76	1	C-032-000014	ICX Magellan insertion instrument	
77	1	C-032-000015	ICX TL Magellan insertion instrument	
78	1	C-015-100025	screwdriver	hex 1.4mm L=26.6mm
79	1	C-015-100030	screwdriver	hex 1.2mm
80	2	960007	Universal ratchet adapter	
81	1	960001	torque ratchet	
82	1	C-015-100003	depth gauge	
83	1	C-032-020110	ICX-Magellan universal drill bit, short Ø2.0 for spoons	L max. = 11 für spoon H=10
84	1	C-032-000007	ICX Magellan universal spoon Ø 2.0	L = 28mm
85	1	C-018-000004	ICX Magellan Box	empty




OVERVIEW: ICX-WASH-TRAY for ICX-MAGELLAN Box

Pos.	Quantity	Article no.	Article	Length/ colour
1	1	C-032-133008	ICX Magellan drill	L=8mm, rose III,D1
2	1	C-032-033008	ICX Magellan drill	L=8mm, rose II,D2-D3
3	1	C-032-333008	ICX Magellan drill	L=8mm, rose I,D4
4	1	C-032-133010	ICX Magellan drill	L=10mm, rose III,D1
5	1	C-032-033010	ICX Magellan drill	L=10mm, rose II,D2-D3
6	1	C-032-333010	ICX Magellan drill	L=10mm, rose I,D4
7	1	C-032-133012	ICX Magellan drill	L=12.5mm, rose III,D1
8	1	C-032-033012	ICX Magellan drill	L=12.5mm, rose II,D2-D3
9	1	C-032-333012	ICX Magellan drill	L=12.5mm, rose I,D4
10	1	C-032-134506	ICX Magellan drill	L=6.5mm, yellow III, D1
11	1	C-032-034506	ICX Magellan drill	L=6.5mm, yellow II, D2-3
12	1	C-032-334506	ICX Magellan drill	L=6.5mm, yellow I, D4
13	1	C-032-134508	ICX Magellan drill	L=8mm, yellow III, D1
14	1	C-032-034508	ICX Magellan drill	L=8mm, yellow II, D2-3
15	1	C-032-334508	ICX Magellan drill	L=8mm, yellow I, D4
16	1	C-032-134510	ICX Magellan drill	L=10mm, yellow III, D1
17	1	C-032-034510	ICX Magellan drill	L=10mm, yellow II, D2-3
18	1	C-032-334510	ICX Magellan drill	L=10mm, yellow I, D4
19	1	C-032-134512	ICX Magellan drill	L=12.5mm, yellow III, D1



OVERVIEW: ICX-WASH-TRAY for ICX-MAGELLAN Box



Pos.	Quantity	Article no.	Article	Length/ colour
20	1	C-032-034512	ICX Magellan Drill	L=12.5mm, yellow II, D2-3
21	1	C-032-334512	ICX Magellan Drill	L=12.5mm, yellow I, D4
22	1	C-032-137508	ICX Magellan Drill	L=8mm, red III, D1
23	1	C-032-037508	ICX Magellan Drill	L=8mm, red II, D2-3
24	1	C-032-337508	ICX Magellan Drill	L=8mm, red I, D4
25	1	C-032-137510	ICX Magellan Drill	L=10mm, red III, D1
26	1	C-032-037510	ICX Magellan Drill	L=10mm, red II, D2-3
27	1	C-032-337510	ICX Magellan Drill	L=10mm, red I, D4
28	1	C-032-137512	ICX Magellan Drill	L=12.5mm, red III, D1
29	1	C-032-037512	ICX Magellan Drill	L=12.5mm, red II, D2-3
30	1	C-032-337512	ICX Magellan Drill	L=12.5mm, red I, D4
31	1	C-032-137515	ICX Magellan Drill	L=15mm, red III, D1
32	1	C-032-037515	ICX Magellan Drill	L=15mm, red II, D2-3
33	1	C-032-337515	ICX Magellan Drill	L=15mm, red I, D4
34	1	C-032-141008	ICX Magellan Drill	L=8mm, green III, D1
35	1	C-032-041008	ICX Magellan Drill	L=8mm, green II, D2-3
36	1	C-032-341008	ICX Magellan Drill	L=8mm, green I, D4
37	1	C-032-141010	ICX Magellan Drill	L=10mm, green III, D1
38	1	C-032-041010	ICX Magellan Drill	L=10mm, green II, D2-3
39	1	C-032-341010	ICX Magellan Drill	L=10mm, green I, D4
40	1	C-032-141012	ICX Magellan Drill	L=12.5mm, green III, D1
41	1	C-032-041012	ICX Magellan Drill	L=12.5mm, green II, D2-3
42	1	C-032-341012	ICX Magellan Drill	L=12.5mm, green I, D4
43	1	C-032-141015	ICX Magellan Drill	L=15mm, green III, D1
44	1	C-032-041015	ICX Magellan Drill	L=15mm, green II, D2-3
45	1	C-032-341015	ICX Magellan Drill	L=15mm, green I, D4
46	1	C-032-148008	ICX Magellan Drill	L=8mm, blue III, D1
47	1	C-032-048008	ICX Magellan Drill	L=8mm, blue II, D2-3



OVERVIEW: ICX-WASH-TRAY for ICX-MAGELLAN Box

Pos.	Quantity	Article no.	Article	Length/ colour
48	1	C-032-348008	ICX Magellan drill	L=8mm, blue I, D4
49	1	C-032-148010	ICX Magellan drill	L=10mm, blue III, D1
50	1	C-032-048010	ICX Magellan drill	L=10mm, blue II, D2-3
51	1	C-032-348010	ICX Magellan drill	L=10mm, blue I, D4
52	1	C-032-148012	ICX Magellan drill	L=12.5mm, blue III, D1
53	1	C-032-048012	ICX Magellan drill	L=12.5mm, blue II, D2-3
54	1	C-032-348012	ICX Magellan drill	L=12.5mm, blue I, D4
55	1	C-032-148015	ICX Magellan drill	L=15mm, blue III, D1
56	1	C-032-048015	ICX Magellan drill	L=15mm, blue II, D2-3
57	1	C-032-348015	ICX Magellan drill	L=15mm, blue I, D4
58	1	C-032-033000	ICX Magellan Gingival Punch	rose
59	1	C-032-034500	ICX Magellan Gingival Punch	yellow
60	1	C-032-037500	ICX Magellan Gingival Punch	red
61	1	C-032-041000	ICX Magellan Gingival Punch	green
62	1	C-032-048000	ICX Magellan Gingival Punch	blue
63	1	C-032-000025	Magellan pilot drill	rose
64	1	C-032-000024	ICX cortical drill	rose
65	1	C-032-000021	ICX Magellan centring drill	
66	1	C-032-000022	ICX Magellan pilot drill	L=6.5mm
67	1	C-032-233000	ICX Magellan stop drill	rose
68	1	C-032-234500	ICX Magellan stop drill	yellow
69	1	C-032-237500	ICX Magellan stop drill	red
70	1	C-032-241000	ICX Magellan stop drill	green
71	1	C-032-248000	ICX Magellan stop drill	blue
72	1	C-032-000020	ICX Magellan drill	D=1.5mm
73	4	C-032-000013	ICX Magellan Fixing pin	D=1.5mm
74	1	C-032-000026	ICX 3.3 Magellan insertion instrument	
75	1	C-032-000014	ICX Magellan insertion instrument	
76	1	C-032-000015	ICX TL Magellan insertion instrument	
77	1	C-032-022150	ICX Magellan drill	D=2.2mm, long
78	1	C-015-100025	screwdriver	hex 1.4mm L=26.6mm
79	1	C-015-100030	screwdriver	hex 1.2mm
80	2	960007	Universal ratchet adapter	
81	1	960001	torque ratchet	
82	1	C-015-100003	depth gauge	
83	1	C-032-020110	ICX-Magellan universal drill bit, short Ø2.0 for spoons	L max. = 11 für spoon H=10
84	1	C-032-000007	ICX Magellan universal spoon Ø 2.0	L = 28mm
85	1	C-018-000004	ICX Magellan Box	empty

OVERVIEW: ICX-WASH-TRAY for ICX-MAGELLAN Box



OVERVIEW:

ICX cover screws and healing caps (healing abutments)

Ø 3,45 to Ø 4,8 mm Implants

Article no.	Article	Dimensions	Material			
C-003-000001	ICX-cover screw	GH 0mm	Titanium			
C-003-000002	ICX-cover screw, sterile (Pack of 6)	GH 0mm	Titanium			
C-003-000021	ICX-cover screw, blue, Ø 3.1mm	GH 2mm	Titanium			
C-003-000022	ICX-cover screw, blue, Ø 3.75mm	GH 0.5mm	Titanium			
C-004-444720	ICX healing cap bottle size Ø 4.7/3.9mm	GH 2mm L 3.5mm	Titanium		<p style="text-align: center;">Ø 4.7/3.9mm</p> 	
C-004-444730	ICX healing cap bottle size Ø 4.7/3.9mm	GH 3mm L 4.5mm	Titanium			
C-004-444740	ICX healing cap bottle size Ø 4.7/3.9mm	GH 4mm L 5.5mm	Titanium			
C-004-444750	ICX healing cap bottle size Ø 4.7/3.9mm	GH 5mm L 6.5mm	Titanium			
C-004-004510	ICX healing cap Ø 4.7mm	GH 1mm	Titanium		<p style="text-align: center;">Ø 4.7mm</p> 	
C-004-004520	ICX healing cap Ø 4.7mm	GH 2mm	Titanium			
C-004-004530	ICX healing cap Ø 4.7mm	GH 3mm	Titanium			
C-004-004540	ICX healing cap Ø 4.7mm	GH 4mm	Titanium			
C-004-004550	ICX healing cap Ø 4.7mm	GH 5mm	Titanium			
C-004-004560	ICX healing cap Ø 4.7mm	GH 6mm	Titanium			
C-004-006020	ICX healing cap Ø 6mm	GH 2mm	Titanium		<p style="text-align: center;">Ø 6mm</p> 	
C-004-006030	ICX healing cap Ø 6mm	GH 3mm	Titanium			
C-004-006040	ICX healing cap Ø 6mm	GH 4mm	Titanium			
C-004-006050	ICX healing cap Ø 6mm	GH 5mm	Titanium			
C-004-006060	ICX healing cap Ø 6mm	GH 6mm	Titanium			
C-004-008030	ICX healing cap Ø 8mm	GH 3mm	Titanium		<p style="text-align: center;">Ø 8mm</p> 	
C-004-008050	ICX healing cap Ø 8mm	GH 5mm	Titanium			

Note: The tightening torque of 5 to 10Ncm should not be exceeded. Please screw in all ICX cover and healing caps by hand only. If you screw them in with 20 or more Ncm, there is a risk that conical forces will be created, which will make it almost impossible to loosen them later.

Note: L = Length From implant top edge
GH = Gingiva height

Ø 3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW:

ICX healing caps (Gingiva formers) customizable (Temporary abutments)

Ø 3,45 to Ø 4,8 mm Implants

Article no.	Article	Dimensions	Material		
C-004-504720	ICX healing cap, customizable with hex, Ø 4.7mm	GH 2mm K 6mm	PEEK, sterilizable		
C-004-504740	ICX healing cap, customizable with hex, Ø 4.7mm	GH 4mm K 6mm	PEEK, sterilizable		
C-004-514720	ICX healing cap, customizable without hex, Ø 4,7mm	GH 2mm K 6mm	PEEK, sterilizable		
C-004-514740	ICX healing cap, customizable without hex, Ø 4,7mm	GH 4mm K 6mm	PEEK, sterilizable		
C-004-524706	ICX healing cap, customizable with hex, Ø 5mm	L 6.5mm	PEEK, sterilizable		
C-004-524708	ICX healing cap, customizable with hex, Ø 5mm	L 8.5mm	PEEK, sterilizable		
C-004-524710	ICX healing cap, customizable with hex, Ø 5mm	L 10.5mm	PEEK, sterilizable		
C-004-526006	ICX healing cap, customizable with hex, Ø 7mm	L 6.5mm	PEEK, sterilizable		
C-004-526008	ICX healing cap, customizable with hex, Ø 7mm	L 8.5mm	PEEK, sterilizable		
C-004-526010	ICX healing cap, customizable with hex, Ø 7mm	L 10.5mm	PEEK, sterilizable		

Article no.	Article	Dimensions	Material		
C-004-034550	Healing cap only for TISSUE LEVEL (TL) Implants rotation-locked	Ø 5mm L 5mm	PEEK, sterilizable		



All articles incl. connection screw
C-011-000001

Article no.	Article	Dimensions	Material		
C-003-000100	ICX membrane screw consisting of a mounting screw and a cover screw	GH 1: 0.9 mm; Ø 1: 3.2 mm GH 2: 0.9 mm; Ø 1: 3.9 mm	Titanium		
C-015-100030	ICX-MULTI hex tool SW 1,2mm medium	SW 1.2mm	Stainless steel		

Note: GH = Gingival height

K = Chimney height

L = Length from upper implant edge

OVERVIEW: ICX-TL healing cap conical

Article no.	Article	Dimensions	Material		
C-004-245010	ICX-TL-Healing cap conical	Ø 5mm 1mm GH	Titanium		
C-004-245020	ICX-TL-Healing cap conical	Ø 5mm 2mm GH	Titanium		
C-004-245030	ICX-TL-Healing cap conical	Ø 5mm 3mm GH	Titanium		
C-004-245040	ICX-TL-Healing cap conical	Ø 5mm 4mm GH	Titanium		
C-004-245060	ICX-TL-Healing cap conical	Ø 5mm 6mm GH	Titanium		



Ø3,45 / 3,75 / 4,1 / 4,8mm

Article:

ICX-TL-Healing cap conical

- form an extended emergence profile for all subsequent restorations on abutments and adhesive bases, from GH 0mm
- protect the tulip platform during the healing process
- one-piece
- lie on the TL platform and grip around the 0.25mm circularly sloping tulip.
- the cone is at 4 degrees, Ø5,2mm



OVERVIEW: CERICX healing cap & impression post

For an emergence profile precisely matched to CERICX abutments and correspondingly formed and its subsequent impression. This makes it a complete system.

Article no.	Article	Dimensions	Material		
C-004-116001	CERICX healing cap matching to CERICX abutments straight 1mm C-036-A/B/C10501	Ø 6mm GH 3mm	Titanium		 <p>For an optimally broadened emergence profile (individual abutments and adhesive bases)</p>
C-004-116002	CERICX healing cap matching to CERICX abutments straight 2mm C-036-A/B/C10502	Ø 6mm GH 4mm	Titanium		
C-004-116003	CERICX healing cap matching to CERICX abutments straight 3mm C-036-A/B/C10503	Ø 6mm GH 5mm	Titanium		
C-004-116004	CERICX healing cap matching to CERICX abutments straight 4mm C-036-A/B/C10504	Ø 6mm GH 6mm	Titanium		
C-005-020005	CERICX impression post, closed	Ø 7mm L 13mm	Titanium		
C-005-030012	CERICX impression post, open, short	Ø 5.5mm L 9mm	Titanium		
C-005-030011	CERICX impression post, open, long	Ø 5.5mm L 16mm	Titanium		

Note: GH = Gingiva height · L = Length from upper implant edge

Ø3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW: ICX-impression post

Ø 3,45 to Ø 4,8 mm Implants

ICX impression post, closed

Article no.		Article	Dimensions	Material
C-005-020002		ICX titanium impression post, blue 3-pieces consisting of: Impression coping closed, connection screw, impression cap	L 11.5mm incl. cap	Titanium
C-005-040010		ICX impression cap, blue, pack of 10		Plastic

ICX impression post, open

Article no.		Article	Dimensions	Material
C-005-030001		ICX titanium impression post, short, 2 pieces, Ø 4.5mm consisting of: Impression coping open, connection screw, impression aid	L 8mm	Titanium
C-005-030002		ICX titanium impression post, long, 2 pieces, Ø 4.5mm consisting of: Impression post open, connection screw, impression aid	L 8mm	Titanium

ICX impression post, open, non-hexagonal

Article no.		Article	Dimensions	Material
C-005-030021		ICX titanium impression post, short, 2 pieces, Ø 4.5mm consisting of: Impression coping open, connection screw, impression aid	L 8.5mm	Titanium
C-005-030022		ICX titanium impression post, long, 2 pieces, Ø 4.5mm consisting of: Impression coping open, connection screw, impression aid	L 11,mm	Titanium

Note: L = Length from top edge of implant


Ø 3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW: ICX model analogue

Ø 3,45 to Ø 4,8 mm Implants

ICX-Model analog

Article no.		Article	Dimensions	Material
C-006-010001		ICX model analogue for Bonelevel (BL) Implants standard	L 15mm	Titanium

Article no.		Article	Dimensions	Material
C-006-010003		ICX model analogue for Bonelevel (BL) Implants CAD/CAM	L 10mm	Titanium
C-006-010008		ICX model analogue for TISSUE LEVEL (TL) Implants CAD/CAM	L 11.7mm	Titanium

Article no.		Article	Dimensions	Material
C-006-020003		ICX model analogue (BL) implants CAD/CAM, screw-retained	L 13mm	Titanium
C-006-020008		ICX model analogue (TL) implants CAD/CAM, screw-retained	L 14.7mm	Titanium

Note: L = Length

Dear customers,

please note the two different platforms of the BL and TL implants. Select the BL and TL laboratory analogues accordingly. This is important if the prosthetics later have to touch the different platforms of the implants due to the low emergence profile. different platforms of the implants (GH 0mm).
Your medentis team



ICX-Ø 3.3mm BL (Bone Level)
Ø 3.3mm

Art.-No.: N-006-010003



ICX-Ø 3.3mm TL (Tissue Level)
Ø 3.3mm

Art.-No.: N-006-010008

OVERVIEW: ICX-Titanium-abutments

For cemented restorations

Article no.		Article	Dimensions	Material
C-007-010501	 <p style="text-align: center;">Ø 5mm</p>	ICX Titanium abutment, short, standard Ø 5mm	GH 1 mm K 4mm	Titanium
C-007-010502		ICX Titanium abutment, short, standard Ø 5mm	GH 2 mm K 4mm	Titanium
C-007-010503		ICX Titanium abutment, short, standard Ø 5mm	GH 3 mm K 4mm	Titanium
C-007-010504		ICX Titanium abutment, short, standard Ø 5mm	GH 4 mm K 4mm	Titanium
C-007-010505		ICX Titanium abutment, short, standard Ø 5mm	GH 5 mm K 4mm	Titanium
C-007-010506		ICX Titanium abutment, short, standard Ø 5mm	GH 6 mm K 4mm	Titanium
C-007-016501	 <p style="text-align: center;">Ø 6.5mm</p>	ICX Titanium abutment, short, wide Ø 6,5mm	GH 1 mm K 4mm	Titanium
C-007-016502		ICX Titanium abutment, short, wide Ø 6,5mm	GH 2 mm K 4mm	Titanium
C-007-016503		ICX Titanium abutment, short, wide Ø 6,5mm	GH 3 mm K 4mm	Titanium




All articles C-007- incl. connection screw
C-007-000001



All articles on this page incl. laboratory screw
C-007-000002

Note: GH = Gingiva height · K = Chimney height



Ø 3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW: ICX-Titanium-abutments

For cemented restorations

Article no.		Article	Dimensions	Material
C-007-020501	 <p style="text-align: center;">Ø 5mm</p>	ICX Titanium abutment, long, standard Ø 5mm	GH 1 mm K 7mm	Titanium
C-007-020502		ICX Titanium abutment, long, standard Ø 5mm	GH 2 mm K 7mm	Titanium
C-007-020503		ICX Titanium abutment, long, standard Ø 5mm	GH 3 mm K 7mm	Titanium
C-007-020504		ICX Titanium abutment, long, standard Ø 5mm	GH 4 mm K 7mm	Titanium
C-007-020505		ICX Titanium abutment, long, standard Ø 5mm	GH 5 mm K 7mm	Titanium
C-007-020506		ICX Titanium abutment, long, standard Ø 5mm	GH 6 mm K 7mm	Titanium
C-007-026501	 <p style="text-align: center;">Ø 6.5mm</p>	ICX Titanium abutment, long, broad Ø 6.5mm	GH 1 mm K 7mm	Titanium
C-007-026502		ICX Titanium abutment, long, broad Ø 6.5mm	GH 2 mm K 7mm	Titanium
C-007-026503		ICX Titanium abutment, long, broad Ø 6.5mm	GH 3 mm K 7mm	Titanium
C-007-010500	<p style="text-align: center;">Only on bone level (BL) platform: tangentially tapered.</p>  <p style="text-align: center;">Ø 3.7mm</p>	ICX Titanium abutment, short, Ø 3.7mm Not for ICX-TL implants!	GH 0 mm L 5mm	Titanium
C-007-020500		ICX Titanium abutment, long, Ø 3.7mm Not for ICX-TL implants!	GH 0 mm L 7mm	Titanium
C-007-030500		ICX-Titanium abutment, extralong, Ø 3.7mm Not for ICX-TL implants!	GH 0 mm L 9mm	Titanium

Ø 3,45 / 3,75 / 4,1 / 4,8mm

 All articles C-007- incl. connection screw
C-007-000001


 All articles on this page incl. laboratory screw
C-007-000002

OVERVIEW: ICX-Titanium-abutments

NOTE: All Aesthetic Titanium abutments are angled over the side surface of the Hexagonal Rotation Guard.

Article no.		Article	Dimensions	Material
C-010-010010	 <p>0°</p>	ICX Aesthetic Line Titanium abutment, 0°	GH 1: 1,0mm GH 2: 3,0mm K 7mm	Titanium
C-010-010030		ICX Aesthetic Line Titanium abutment, 0°	GH 1: 3,0mm GH 2: 5,0mm K 7mm	Titanium
C-010-020015	 <p>15°</p>	ICX Aesthetic Line Titanium abutment, 15°	GH 1: 1,5mm GH 2: 3,5mm K 7mm	Titanium
C-010-020025		ICX Aesthetic Line Titanium abutment, 15°	GH 1: 2,5mm GH 2: 4,5mm K 7mm	Titanium
C-010-020035		ICX Aesthetic Line Titanium abutment, 15°	GH 1: 3,5mm GH 2: 5,5mm K 7mm	Titanium
C-010-020050		ICX Aesthetic Line Titanium abutment, 15°	GH 1: 5,0mm GH 2: 7,0mm K 7mm	Titanium
C-010-040015	 <p>25°</p>	ICX Aesthetic Line Titanium abutment, 25°	GH 1: 1,5mm GH 2: 3,5mm K 7mm	Titanium
C-010-040025		ICX Aesthetic Line Titanium abutment, 25°	GH 1: 2,5mm GH 2: 4,5mm K 7mm	Titanium
C-010-040035		ICX Aesthetic Line Titanium abutment, 25°	GH 1: 3,5mm GH 2: 5,5mm K 7mm	Titanium
C-010-040050		ICX Aesthetic Line Titanium abutment, 25°	GH 1: 5,0mm GH 2: 7,0mm K 7mm	Titanium

Ø3,45 / 3,75 / 4,1 / 4,8mm



All articles incl. connection screw
C-011-000001




All articles on this page incl. laboratory screw
C-007-000002

Note: GH = Gingival height - K = Chimney height - L = Length from upper implant edge


OVERVIEW: ICX-Titanium-abutments (angled over surface)

Article no.		Article	Dimensions	Material
C-010-010005	 <p>0° 15° 25°</p> <p>Only for ICX-TISSUE LEVEL Implants</p>	ICX Aesthetic Line Titanium abutment, 0° straight, Ø 4.5mm	GH 1: 0.5mm GH 2: 1.5mm K 8mm	Titanium
C-010-020005		ICX Aesthetic Line Titanium abutment, 15°, Ø 4.5mm	GH 1: 0.5mm GH 2: 1.5mm K 8mm	Titanium
C-010-040005		ICX Aesthetic Line Titanium abutment, 25°, Ø 4.5mm	GH 1: 0.5mm GH 2: 1.5mm K 8mm	Titanium

On BL platform level



Article no.		Article	Dimensions	Material
C-024-110005	 <p>0° 15° 25°</p> <p>Only for ICX-TISSUE LEVEL Implants</p>	ICX Aesthetic Line Titanium abutment, 0° straight, Ø 4.5mm	GH 1: 0.5mm GH 2: 1.5mm K 8mm	Titanium
C-024-120005		ICX Aesthetic Line Titanium abutment, 15°, Ø 4.5mm	GH 1: 0.5mm GH 2: 1.5mm K 8mm	Titanium
C-024-140005		ICX Aesthetic Line Titanium abutment, 25°, Ø 4.5mm	GH 1: 0.5mm GH 2: 1.5mm K 8mm	Titanium



Note: GH = Gingival height - K = Chimney height - L = Length from upper implant edge

 All articles incl. connection screw
C-011-000001

 All articles on this page incl. laboratory screw
C-007-000002

OVERVIEW:

ICX universal/ ICX bar, gold abutments

ICX-Universal-abutments (Telescope technology, customizable)

Compact, two-piece with central screw access channel

Article no.		Article	Dimensions	Material
C-009-100001		ICX-Universal-Abutment, short, Ø 5.2mm	L 9.5mm	Titanium
C-009-100002		ICX-Universal-Abutment, long, Ø 5.2mm	L 14.5mm	Titanium
C-009-020001		ICX-Meso-Abutment Ø 7mm	L 9mm	Titanium

Note: L = Length from implant top edge

Due to their thicker walls, the technician can grind them individually, to a responsible degree, as primary telescopes.

ICX bridge system abutments

Article no.		Article	Dimensions	Material
C-011-030001		Plastic build-up secondary part, with hex	L 9mm K 6.3mm Ø 4.5mm	Plastic burnable
C-011-030002		Plastic build-up secondary part, without hex	L 9mm K 6.3mm Ø 4.5mm	Plastic burnable
C-011-020002		Plastic build-up secondary part, with hex	L 9mm K 6.3mm Ø 4.5mm	Titanium
C-011-020003		Plastic build-up secondary part, long, without hex	L 13.5mm K 6.3mm Ø 4.5mm	Titanium

Ø3,45 / 3,75 / 4,1 / 4,8mm

ICX-TISSUE LEVEL (TL) implant abutments

Article no.	Only suitable for TL platform	Article	Dimensions	Material
C-024-010501		ICX-(TL) Implant Abutment K 5 mm, short, Ø 5 mm	GH 0.25mm K 5mm	Titanium
C-024-020501		ICX-(TL) Implant Abutment K 7.5mm, lang, Ø 5mm	GH 0.25mm K 7.5mm	Titanium
C-024-120501		ICX-(TL) Implant Abutment K 7mm, long, Ø 5mm	GH 0mm (outer tulips Ø) K 7mm	Titanium

Note: K = Length of the stump from prep limit



All articles incl. connection screw C-007-000001



All articles incl. laboratory screw C-007-000002



At inner TL platform level



At external TL platform level

OVERVIEW: ICX gold and plastic abutments

ICX gold sprue and CoCr NEM sprue technology

Article no.		Article	Dimensions	Material
C-008-010001		ICX Gold abutment (can be cast) Ø 5 mm with hex	GH 1mm	Gold/HSL alloy Ceramicor 0.49 g gold content
C-008-010002		ICX Gold abutment (can be cast) Ø 5 mm without hex	GH 1mm	Gold/HSL alloy Ceramicor 0.40 g gold content
C-029-000022		ICX- CoCr abutment (can be cast with NEM), with hex	Ø 4.40 mm GH 0.5mm K 4mm	CoCr Biodur CCM/ BCNEM can be cast (note WAK values when firing ceramics)
C-008-020001		ICX- CoCr abutment (can be cast with NEM), without hex	Ø 4.40 mm GH 0.5mm K 4mm Kunststoffhülse 9mm	CoCr Biodur CCM/ BCNEM can be cast (note WAK values when firing ceramics)

ICX plastic abutments, burnable

Article no.		Article	Dimensions	Material
C-008-030001		ICX plastic abutment Ø 5 mm with hexagon, completely burnable without residue	GH 1mm K 7mm	Plastic burnable
C-008-030002		ICX plastic abutment Ø 5 mm without hexagon, completely burnable without residue	GH 1mm K 7mm	Plastic burnable

Note: GH = gingival height · K = chimney height · L = length from top edge of implant



All items include connection screw
C-011-000001



All articles incl. laboratory screw
C-007-000002


Ø3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW:

ICX abutments/CAD/CAM & scan bodies

ICX CAD/CAM adhesive bases and scan bodies

Article no.		Article	Dimensions	Material
C-029-000004	 BL	ICX adhesive base, Ø 4,4mm, with hex - <i>Only for ICX-BL</i>	GH 0mm K 4mm	Titanium
C-029-000005	 TL	ICX adhesive base, <i>Only for ICX-TL Implant</i> Ø 4,4mm with hex	GH 0mm K 4mm	Titanium
C-029-000002		ICX adhesive base, standard Ø 4,4mm with hex	GH 0.5mm K 4mm	Titanium
C-029-000008		ICX adhesive base, Ø 4,4mm with hex	GH 1.5mm K 4mm	Titanium
C-029-000007		ICX adhesive base, Ø 4,4mm with hex	GH 2.5mm K 4mm	Titanium
C-029-001001		ICX bar adhesive base, Ø 4,4mm without hex (for bar and bridges)	GH 0.5mm K 3.8mm	Titanium



C-030-000003		ICX-Scan body for intraoral scans and also for model scans 2nd generation	L 12mm	PEEK
--------------	---	--	--------	------



All articles incl. connection screw
C-011-000001



All articles incl. laboratory screw
C-007-000002

ICX-SHOP!



BE SMART. BE ICX.



Ø3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW – PROSTHETICS ICX STANDARD: ICX-ZERO BONE LOSS Standard Abutments

Single article · ICX-ZERO BONE LOSS® ABUTMENTS for Standard ICX-Implants ● Ø3,75 ● Ø4,1 ● Ø4,8

The colours in the VITA classical colour family are grouped as follows:
A1 - A4 (reddish-brownish), B1 - B4 (reddish-yellowish), C1 - C4 (shades of grey), D2 - D4 (reddish-grey)

Article no.	Article – ICX Zero Bone Loss Scan & Healing Caps for all ICX implant diameters (Ø3.75 · Ø4.1 · Ø4.8)	
C-004-007F07	ICX Zero Bone Loss, Scan & Heal, anterior, H=4mm, for GH=1.5mm	
C-004-007F08	ICX Zero Bone Loss, Scan & Heal, anterior, H=5mm, for GH=2.5mm	
C-004-007F09	ICX Zero Bone Loss, Scan & Heal, anterior, H=6mm, for GH=3.5mm	
C-004-007P07	ICX Zero Bone Loss, Scan & Heal, premolar, H=4mm, f. GH=1.5mm	
C-004-007P08	ICX Zero Bone Loss, Scan & Heal, premolar, H=5mm, f. GH=2.5mm	
C-004-007P09	ICX Zero Bone Loss, Scan & Heal, premolar, H=6mm, f. GH=3.5mm	
C-004-007M07	ICX Zero Bone Loss, Scan & Heal, Molar, H=4mm, f. GH=1.5mm	
C-004-007M08	ICX Zero Bone Loss, Scan & Heal, Molar, H=5mm, f. GH=2.5mm	
C-004-007M09	ICX Zero Bone Loss, Scan & Heal, Molar, H=6mm, f. GH=3.5mm	

Article no.	Article – ICX Zero Bone Loss CerlCX abutment for all ICX implant diameters (Ø3.75 · Ø4.1 · Ø4.8)	
C-036-A07F07	ICX Zero Bone Loss CerlCX, anterior, 0° GH=2.5/3.5mm, f. H=4mm, A	
C-036-B07F07	ICX Zero Bone Loss CerlCX, anterior, 0° GH=2.5/3.5mm, f. H=4mm, B	
C-036-C07F07	ICX Zero Bone Loss CerlCX, anterior, 0° GH=2.5/3.5mm, f. H=4mm, C	
C-036-A07F08	ICX Zero Bone Loss CerlCX, anterior, 0° GH=3.5/4.5mm, f. H=5mm, A	
C-036-B07F08	ICX Zero Bone Loss CerlCX, anterior, 0° GH=3.5/4.5mm, f. H=5mm, B	
C-036-C07F08	ICX Zero Bone Loss CerlCX, anterior, 0° GH=3.5/4.5mm, f. H=5mm, C	
C-036-A07F09	ICX Zero Bone Loss CerlCX, anterior, 0° GH=4.5/5.5mm, f. H=6mm, A	
C-036-B07F09	ICX Zero Bone Loss CerlCX, anterior, 0° GH=4.5/5.5mm, f. H=6mm, B	
C-036-C07F09	ICX Zero Bone Loss CerlCX, anterior, 0° GH=4.5/5.5mm, f. H=6mm, C	
C-036-A07P07	ICX Zero Bone Loss CerlCX, Premolar, 0° GH=2.5/3.5mm, f. H=4mm, A	
C-036-B07P07	ICX Zero Bone Loss CerlCX, Premolar, 0° GH=2.5/3.5mm, f. H=4mm, B	
C-036-C07P07	ICX Zero Bone Loss CerlCX, Premolar, 0° GH=2.5/3.5mm, f. H=4mm, C	
C-036-A07P08	ICX Zero Bone Loss CerlCX, Premolar, 0° GH=3.5/4.5mm, f. H=5mm, B	
C-036-B07P08	ICX Zero Bone Loss CerlCX, premolar, 0° GH=3.5/4.5mm, f. H=5mm, B	
C-036-C07P08	ICX Zero Bone Loss CerlCX, premolar, 0° GH=3.5/4.5mm, f. H=5mm, B	
C-036-A07P09	ICX Zero Bone Loss CerlCX, premolar, 0° GH=4.5/5.5mm, f. H=6mm, C	
C-036-B07P09	ICX Zero Bone Loss CerlCX, Premolar, 0° GH=4.5/5.5mm, f. H=6mm, C	
C-036-C07P09	ICX Zero Bone Loss CerlCX, Premolar, 0° GH=4.5/5.5mm, f. H=6mm, C	
C-036-A07M07	ICX Zero Bone Loss CerlCX, Molar, 0° GH=2.5/3.5mm, f. H=4mm, A	
C-036-B07M07	ICX Zero Bone Loss CerlCX, Molar, 0° GH=2.5/3.5mm, f. H=4mm, B	
C-036-C07M07	ICX Zero Bone Loss CerlCX, Molar, 0° GH=2.5/3.5mm, f. H=4mm, C	
C-036-A07M08	ICX Zero Bone Loss CerlCX, Molar, 0° GH=3.5/4.5mm, f. H=5mm, A	
C-036-B07M08	ICX Zero Bone Loss CerlCX, Molar, 0° GH=3.5/4.5mm, f. H=5mm, B	
C-036-C07M08	ICX Zero Bone Loss CerlCX, Molar, 0° GH=3.5/4.5mm, f. H=5mm, C	
C-036-A07M09	ICX Zero Bone Loss CerlCX, Molar, 0° GH=4.5/5.5mm, f. H=6mm, A	
C-036-B07M09	ICX Zero Bone Loss CerlCX, Molar, 0° GH=4.5/5.5mm, f. H=6mm, B	
C-036-C07M09	ICX Zero Bone Loss CerlCX, Molar, 0° GH=4.5/5.5mm, f. H=6mm, C	

Article no.	Article – ICX Zero Bone Loss adhesive bases for standard	
C-029-001107	ICX Zero Bone Loss adhesive base, Ø4.4, GH=1.5mm, f.H=4mm	
C-029-001108	ICX Zero Bone Loss adhesive base, Ø4.4, GH=2.5mm, f.H=5mm	
C-029-001109	ICX Zero Bone Loss adhesive base, Ø4.4, GH=3.5mm, f.H=6mm	

ICX-ZBL CAD/CAM adhesive and scan bodies

Article no.	Article – ICX Zero Bone Loss abutment	Material	
C-029-001102	ICX Zero Bone Loss adhesive base, Ø4.4, GH=0.5mm	Titanium	
C-029-001107	ICX Zero Bone Loss adhesive base, Ø4.4, GH=1.5mm, f.H=4mm	Titanium	
C-029-001108	ICX Zero Bone Loss adhesive base, Ø4.4, GH=2.5mm, f.H=5mm	Titanium	
C-029-001109	ICX Zero Bone Loss adhesive base, Ø4.4, GH=3.5mm, f.H=6mm	Titanium	
C-029-001002	ICX Zero Bone Loss adhesive base non-hex, Ø4.4, GH=0.5mm	Titanium	
C-029-001007	ICX Zero Bone Loss adhesive base non-hex, Ø4.4, GH=1.5mm	Titanium	
C-029-001008	ICX Zero Bone Loss adhesive base non-hex, Ø4.4, GH=2.5mm	Titanium	
C-029-001009	ICX Zero Bone Loss adhesive base non-hex, Ø4.4, GH=3.5mm	Titanium	

C-030-000003		ICX scan body suitable for intraoral scanning and model scanning 2nd generation	L 12mm	Titanium
--------------	---	---	--------	----------

 All articles incl. connection screw
C-011-000001

 All articles incl. laboratory screw
C-007-000002

Ø3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW – PROSTHETICS ICX STANDARD: ICX-ZERO BONE LOSS Standard Abutments

ICX-ZERO BONE LOSS® adhesive bases and healing caps Sets of 2 · for Standard ICX-Implants ● Ø3,75 ● Ø4,1 ● Ø4,8

Article no.	Article – ICX-ZERO BONE LOSS® ADHESIVE BASES & HEALING CAPS	
C-004-007F07 & C-029-001107	ICX Zero Bone Loss, Scan & Heal, anterior, H=4mm, f. GH=1.5mm ICX Zero Bone Loss adhesive base, Ø4.4, GH=1.5mm, f.H=4mm GH=1,5 mm	
C-004-007F08 & C-029-001108	ICX Zero Bone Loss, Scan & Heal, anterior, H=5mm, f. GH=2.5mm ICX Zero Bone Loss adhesive base, Ø4.4, GH=2.5mm, f.H=5mm GH=2.5mm	
C-004-007F09 & C-029-001109	ICX Zero Bone Loss, Scan & Heal, anterior, H=6mm, f. GH=3.5mm ICX Zero Bone Loss adhesive base, Ø4.4, GH=3.5mm, f.H=6mm GH=3.5mm	
C-004-007P07 & C-029-001107	ICX Zero Bone Loss, Scan & Heal, premolar, H=4mm, f. GH=1.5mm ICX Zero Bone Loss adhesive base, Ø4.4, GH=1.5mm, f.H=4mm GH=1.5mm	
C-004-007P08 & C-029-001108	ICX Zero Bone Loss, Scan & Heal, premolar, H=5mm, f. GH=2.5mm ICX Zero Bone Loss adhesive base, Ø4.4, GH=2.5mm, f.H=5mm GH=2.5mm	
C-004-007P09 & C-029-001109	ICX Zero Bone Loss, Scan & Heal, premolar, H=6mm, f. GH=3.5mm ICX Zero Bone Loss adhesive base, Ø4.4, GH=3.5mm, f.H=6mm GH=3.5mm	
C-004-007M07 & C-029-001107	ICX Zero Bone Loss, Scan & Heal, molar, H=4mm, f. GH=1.5mm ICX Zero Bone Loss adhesive base, Ø4.4, GH=1.5mm, f.H=4mm GH=1.5mm	
C-004-007M08 & C-029-001108	ICX Zero Bone Loss, Scan & Heal, molar, H=5mm, f. GH=2.5mm ICX Zero Bone Loss adhesive base, Ø4.4, GH=2.5mm, f.H=5mm GH=2.5mm	
C-004-007M08 & C-029-001108	ICX Zero Bone Loss, Scan & Heal, molar, H=6mm, f. GH=3.5mm ICX Zero Bone Loss adhesive base, Ø4.4, GH=3.5mm, f.H=6mm GH=3.5mm	

IMPORTANT NOTE!

When selecting the respective gingiva former, pay attention to the number of groove recesses. These indicate the desired gingival height.



Ø3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW:

ICX-Cerec® adhesive bases ONLY for Sirona® system

ICX-Cerec® adhesive bases (only compatible with Sirona® system)

Article no.		Article	Dimensions	Material
C-029-000050		ICX-Cerec® adhesive base with hex for Cerec® L block, incl. scan cap white (Bluecam),	GH 1mm K 4.65mm Ø 4.5mm	Titanium
C-030-000052		ICX-Cerec®-Scanpost L for C-029-000050 with hex incl. scan cap white (Bluecam)	GH 2.5mm K 4.65mm Ø 4.5mm	Titanium
C-029-000051		ICX-Cerec® adhesive base with hex for Cerec® L block, incl. scan cap white (Bluecam),	GH 2.5mm K 4.65mm Ø 4.5mm	Titanium
C-030-000053		ICX-Cerec®-Scanpost L for C-029-000051 with hex incl. scan cap white (Bluecam),	GH 4mm K 4.65mm Ø 4.5mm	Titanium

CEREC® is a registered trademark of Dentsply Sirona

Note: GH = Gingival height - K = Chimney height - L = Length from upper implant edge



All articles incl. connection screw
C-011-000001



All articles incl. laboratory screw
C-007-000002

NOTE: IN GENERAL, A SCAN VIA THE RESPECTIVE SCANPOST IS ALWAYS RECOMMENDED! THE CORRESPONDING DATA SET MUST BE SELECTED FOR SCANPOST.

THE CORRESPONDING CAD/CAM DATA RECORD IS STORED IN THE SIRONA® SYSTEM AS DATA RECORD NB A 4.5.

Ø3,45 / 3,75 / 4,1 / 4,8mm

ICX E. Steger adhesive abutment ONLY for ZirkonZahn system

Article-No.		Article	Dimensions	Material
C-029-000021		ICX adhesive base for ZirkonZahn system Ø 5,1mm with hex	GH 1mm K 4mm	Titanium

Note: K = Length of the stump from prep limit



All articles incl. connection screw
C-011-000001



All articles incl. laboratory screw
C-007-000002

OVERVIEW: CERICX-zirconium-abutments

0° degrees and 15° degrees - with optimized prep limit for intraoral scanning systems
and Cerec® scans - in three tooth colours and 5 gingiva heights:

Each available in three tooth colours (molars only in B)


Tooth colours
„bright“
corresponds
to: approx.
A1, A2, B1




Tooth colours
„standard“
corresponds
to: approx.
A3, B2



Tooth colours
„dark“
corresponds to:
approx.
A3.5 B3




Ø3,45 / 3,75 / 4,1 / 4,8mm



Explanation of the different dimensions,
(Dimensions) on the basis of a CERICX example article.

Article no.	Article	Dimensions	Material
C-036-A/B/C 10501	CERICX ABUTMENT STRAIGHT 1MM	Width: Ø 5.5mm Depth: Ø 5.8mm GH 1: 1.2mm GH 2: 3.1mm K: 6.5mm	Titanium/ Zirconium



To determine the correct gingival height (GH)
observe the associated **dimensions!**

B Tooth shade „standard“

Article no.	Article-CERICX-Molars	Dimensions	Material	B - „standard“
C-034-B 00525	CERICX abutment molar GH 2.5mm The stump and emergence profile are designed according to the molar tooth shape.	Width: Ø 9.6mm Depth: Ø 8.1mm GH 1: 3.2mm GH 2: 5.2mm K: 6.8mm	Titanium/ Zirconium	
C-034-B 00535	CERICX abutment molar GH 3.5mm The stump and emergence profile are designed according to the molar tooth shape.	Width: Ø 9.6mm Depth: Ø 8.1mm GH 1: 4.2mm GH 2: 6.2mm K: 6.8mm	Titanium/ Zirconium	

Note: GH = Gingival height
K = Chimney height
L = Length from upper implant edge



All articles incl. connection screw
C-011-000001



All articles incl. laboratory screw
C-007-000002

OVERVIEW: CERICX-zirconium-abutments

CERICX-Abutments

Article no.	Article	Dimensions	Material	
C-036-A/B/C 10501	CERICX abutment straight 1mm	Width: Ø 5.5mm Depth: Ø 5.8mm GH 1: 1.2mm GH 2: 3.1mm K: 6.5mm	Titanium/ Zirconium	<p>A = Tooth colours „bright</p>  <p>B = Tooth colours „standard</p>  <p>C = Tooth colours „dark</p> 
C-036-A/B/C 10502	CERICX abutment straight 2mm	Width: Ø 5.5mm Depth: Ø 5.8mm GH 1: 2.2mm GH 2: 4.1mm K: 6.5mm	Titanium/ Zirconium	
C-036-A/B/C 10503	CERICX abutment straight 3mm	Width: Ø 5.5mm Depth: Ø 5.8mm GH 1: 3.2mm GH 2: 5.1mm K: 6.5mm	Titanium/ Zirconium	
C-036-A/B/C 10504	CERICX abutment straight 4mm	Width: Ø 5.5mm Depth: Ø 5.8mm GH 1: 4.2mm GH 2: 6.1mm K: 6.5mm	Titanium/ Zirconium	
C-036-A/B/C 10505	CERICX abutment straight 5mm	Width: Ø 5.5mm Depth: Ø 5.8mm GH 1: 5.2mm GH 2: 7.1mm K: 6.5mm	Titanium/ Zirconium	
C-036-A/B/C 20005	CERICX 15° Aesthetic 0.5mm	Width: Ø 5.5mm Depth: Ø 7.2mm GH 1: 1.2mm GH 2: 3.2mm K: 7mm	Titanium/ Zirconium	<p>A = Tooth colours „light</p>  <p>B = Tooth colours „standard</p>  <p>C = Tooth colours „dark</p> 
C-036-A/B/C 20015	CERICX 15° Aesthetic 1.5mm	Width: Ø 5.5mm Depth: Ø 7.2mm GH 1: 2.2mm GH 2: 4.2mm K: 7mm	Titanium/ Zirconium	
C-036-A/B/C 20025	CERICX 15° Aesthetic 2.5mm	Width: Ø 5.5mm Depth: Ø 7.2mm GH 1: 3.2mm GH 2: 5.2mm K: 7mm	Titanium/ Zirconium	
C-036-A/B/C 20035	CERICX 15° Aesthetic 3.5mm	Width: Ø 5.5mm Depth: Ø 7.2mm GH 1: 4.2mm GH 2: 6.2mm K: 7mm	Titanium/ Zirconium	
C-036-A/B/C 20045	CERICX 15° Aesthetic 4.5mm	Width: Ø 5.5mm Depth: Ø 7.2mm GH 1: 5.2mm GH 2: 7.2mm K: 7mm	Titanium/ Zirconium	

Ø3,45 / 3,75 / 4,1 / 4,8mm

0° degree and 15° degrees - with optimized prep limit for intraoral scanning systems and Cerec® scans - in three tooth shades and 5 gingiva heights:

Note: GH = Gingival height
K = Chimney height
L = Length from upper implant edge



All articles incl. connection screw
C-011-000001



All articles incl. laboratory screw
C-007-000002

OVERVIEW: (angled over surface) ICX-MULTI®-Concept = 4-ON-ICX and 6-ON-ICX




**Only for bar, bridge and splinted crown restorations -
not suitable for single-tooth and telescopic restorations!**

Required minimum height 5.5mm

Article no.		Article	Dimensions	Material
C-020-750000	 BL	Only for BL! ICX-multi abutment, straight, GH 0mm	Ø 4.8mm GH 0mm K 2.2mm	Titanium
C-020-750001	 TL	Only for TL! ICX-multi abutment, straight, GH 0mm	Ø 4.8mm GH 0mm K 2.2mm	Titanium

Required minimum height 5.5mm / screwdriver SW 1.2mm

Article no.		Article	Dimensions	Material
C-020-750010		ICX-MULTI abutment, straight, one-piece	GH 1mm K 2.2mm	Titanium
C-020-750020		ICX-MULTI abutment, straight, one-piece	GH 2mm K 2.2mm	Titanium
C-020-750030		ICX-MULTI abutment, straight, one-piece	GH 3mm K 2.2mm	Titanium
C-020-750040		ICX-MULTI abutment, straight, one-piece	GH 4mm K 2.2mm	Titanium
C-020-750050		ICX-MULTI abutment, straight, one-piece	GH 5mm K 2.2mm	Titanium
C-020-751705		17° ICX-MULTI abutment, rotation-locked in implant	GH short 0.5mm GH long 1.9mm K 2.2mm	Titanium
C-020-751715		17° ICX-MULTI abutment, rotation-locked in implant	GH short 1.5mm GH long 2.9mm K 2.2mm	Titanium
C-020-751725		17° ICX-MULTI abutment, rotation-locked in implant	GH short 3.5mm GH long 4.9mm K 2.2mm	Titanium
C-020-751735		17° ICX-MULTI abutment, rotation-locked in implant	GH kurz, 3,5mm GH lang 4.9mm K 2.2mm	Titanium
C-020-753505		35° ICX-MULTI abutment, rotation-locked in implant	GH short 0.5mm GH long 3.25mm K 2.2mm	Titanium
C-020-753515		35° ICX-MULTI abutment, rotation-locked in implant	GH short 1.5mm GH long 4.25mm K 2.2mm	Titanium
C-020-753525		35° ICX-MULTI abutment, rotation-locked in implant	GH short 3.5mm GH long 6.25mm K 2.2mm	Titanium
C-020-753535		35° ICX-multi abutment, rotation-locked in implant	GH short 3.5mm GH long 6.25mm K 2.2mm	Titanium



Ø 3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW: (angled over surface) ICX-MULTI®-Concept = 4-ON-ICX and 6-ON-ICX

Required minimum construction height is 5.5mm

Article no.		Article	Dimensions	Material
C-003-000005		ICX-MULTI Protection cap	Ø 4.8 L 4.6mm	Titanium
C-005-070001		ICX-MULTI impression post, closed, incl. impression cap	L 11mm	Titanium
C-005-070002		ICX-MULTI impression post, open, short incl. impression aid	L 13mm	Titanium
C-005-070020		ICX-MULTI impression post, open, long incl. impression aid	L 16.7mm	Titanium
C-006-010007		ICX-MULTI Model analogue CAD/CAM	L 11mm K 2,mm	Titanium
C-020-951120		ICX-MULTI Prosthetic abutment, Titanium	Ø 4.8 L 12mm (shortenable to 4.1mm)	Titanium
C-020-952120		ICX-MULTI Prosthetic abutment, Plastic	Ø 4.8 L 12mm (shortenable to 4.1mm)	Plastic burnable
C-020-953120		ICX-MULTI Prosthetic abutment PEEK (PROVISIONAL/BITE REGISTRATION)	Ø 4.8 L 12mm (shortenable to 4.1mm)	Peek
C-029-002010		ICX-MULTI adhesive base (for bars and resin veneer bridges)	Ø 4.8 L 5.5mm	Titanium
C-029-002011		ICX-MULTI adhesive base GH 0mm, (for ceramic veneer bridges)	Ø 5.4mm, L 5.5mm	Titanium
C-030-000010		ICX-MULTI Scan cap	L 12.5mm B 4.5mm T 6.5mm	Peek
C-030-000013		ICX Multi Scan base narrow	Ø 4.10mm L 10mm	Titanium
C-031-100001		ICX-Maximus cap, GH 3mm, (additionally to GH ICX-multi abutment)	Ø 4.8 L 4.4mm	Titanium



incl. prosthetic screw C-020-000011 (connection screw to ICX-MULTI abutment)

Ø3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW:

ICX-MULTI®-Concept = 4-ON-ICX and 6-ON-ICX

Article no.		Article	Dimensions	Material
C-020-956120		ICX-MULTI prosthetic abutment CoCr Biodur CCM/BC NEM cast-on	Ø 4.8mm L 7mm	CoCr Biodur CCM/ BC
C-020-955120		ICX-MULTI welding abutment 1st generation for welding of several abutments with the aid of a titanium wire	Ø 4.8mm L 12mm	Titanium
C-020-955121		ICX-MULTI welding abutment 2nd generation for welding of several abutments with the aid of a titanium wire	Ø 5.1mm L 10.5mm	Titanium

 incl. prosthetic screw C-020-000011
(connection screw for the ICX-MULTI abutment)

Field of application and indication

The ICX-MULTI® concept is a prosthetic concept for immediate restoration of edentulous patients. For better support of the subsequent restoration, it is possible for the posterior implants to be placed at a 17° or 35° angle distally. This angulation is compensated by the special abutments.

Article no.	Article	Dimensions	Material	
C-015-100030	ICX-MULTI Hex tool SW 1.2mm medium	SW 1.2mm	Stainless steel	
C-020-000001	ICX-MULTI insertion tool SW 3,2mm for straight multi abutments Mandatory!	SW 3.2mm	Stainless steel	

ICX-SHOP!



BE SMART. BE ICX.



Ø3,45 / 3,75 / 4,1 / 4,8mm

ICX-IMPLANTS PROVIDE YOU RELIABILITY.



FOR HAPPY DENTISTS
AND HAPPY PATIENTS.


THAT'S ICX!

FAIR AND SUCCESSFUL. FOR MORE THAN 20 YEARS.


TOP-SERVICE FOR ICX CUSTOMERS -
RIGHT FROM THE START.

OVERVIEW: ICX-t-bona ball head system

Patrices

Article no.		Article	Dimensions	Material
C-022-060001		ICX-t-bona ball head abutment, Ball Ø 2.25mm	GH 1mm	Titanium
C-022-060002		ICX-t-bona ball head abutment, Ball Ø 2.25mm	GH 2mm	Titanium
C-022-060003		ICX-t-bona ball head abutment, Ball Ø 2.25mm	GH 3mm	Titanium
C-022-060004		ICX-t-bona ball head abutment, Ball Ø 2.25mm	GH 4mm	Titanium
C-015-100007		ICX-t-bona ball head Insertion tool	L 19mm	Stainless steel

Note: GH = Gingival height




ICX-SHOP!



Ø3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW: ICX-t-bona ball head system

t-ecco/Matrice

Article-No.		Article	Material
T-13825		t-ecco, matrice, complete, incl. golden inner matrix, red plastic auxiliary ring and model analog	Titanium plus AuPt
T-13836		t-ecco, matrice, single without golden inner matrix	Titanium
T-13833		t-ecco, golden inner matrix	AuPt
T-13846		t-ecco, golden color inner matrix (weak)	Titanium Grad5
T-13845		t-ecco, red inner matrix (strong)	Titanium Grad5
EK-833100		Model analogue	Brass
T-10571		t-ecco-activator/deactivator	Stainless steel
960002		Hex tool, SW 0.9 short, L 20mm	Stainless steel
C-015-100029		Hex tool, SW 0.9 long, one-piece L 35mm	Stainless steel

Dalbo®-PLUS/Matrice

Article no.		Article	Material
DP-055890		Dalbo PLUS Female TE set elliptical Complete incl. Dalbo PLUS lamella insert	Titanium plus Elitor
DP-055643		Dalbo PLUS lamella insert (without groove marking)	Elitor
DP-050068		Dalbo PLUS Tuning soft lamella insert (1 indentation) for ball head abrasion up to 0.05mm	Elitor
DP-055687		Dalbo PLUS Tuning lamella insert (2 indentation) for ball head abrasion from 0,05mm	Elitor
DP-072609		Dalbo PLUS tool/activator (per 1/4 turn increases the trigger force by 200g)	Stainless steel

Note: Please be sure to use the Dalbo-PLUS tool (DP-072609) to adjust the retention individually according to the situation.

OVERVIEW: ICX Maximus abutments, classic one-piece

Patrices

Please note:

With an exact gingival height of e.g. 1mm, an additional distance of 0.5mm remains between the occlusal gingiva and the lower edge of the matrix restoration.

ICX Maximus abutment, classic-compact one-piece


These patrices are turned in.

Article no.		Article	Dimensions	Material
C-031-020001		ICX Maximus abutment, classic one-piece	GH 1mm	Titanium
C-031-020002		ICX Maximus abutment, classic one-piece	GH 2mm	Titanium
C-031-020003		ICX Maximus abutment, classic one-piece	GH 3mm	Titanium
C-031-020004		ICX Maximus abutment, classic one-piece	GH 4mm	Titanium

The one-piece & two-piece ICX Maximus abutments are a proprietary further development of medentis medical, compatible with the Locator™ abutments. Available for all ICX implants!

Note: GH = gingival height

C-015-100018		Triangular turning tool 25mm (short)	Stainless steel
C-015-100031		Triangular turning tool 30mm (long)	Stainless steel



Ø3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW: ICX Maximus abutments, two-piece

ICX Maximus abutment, two-piece

Male with screw access channel & connection screw.

These anti-rotation superstructures are plugged and screwed.

Article no.		Article	Dimensions	Material
C-031-010001		ICX Maximus abutment, with hex, two-part incl. connection screw	GH 1mm	Titanium
C-031-010002		ICX Maximus abutment, with hex, two-part incl. connection screw	GH 2mm	Titanium
C-031-010003		ICX Maximus abutment, with hex, two-part incl. connection screw	GH 3mm	Titanium
C-031-010004		ICX-Maximus abutment, with hex, two-part incl. connection screw	GH 4mm	Titanium
C-031-010005		ICX Maximus abutment, with hex, two-part incl. connection screw	GH 5mm	Titanium

The one-piece & two-piece ICX Maximus abutments are a proprietary further development of medentis medical, compatible with the Locator™ abutments. Available for all ICX implants!

Note: It is inserted with 1.4mm hexagon insertion tool

Article incl. connection screw



C-031-000001

C-031-000001		ICX-Maximus Connection screw	Titanium
--------------	---	------------------------------	----------

Siehe Seite 61		ICX hex tool SW 1,4mm	Stainless steel
----------------	---	-----------------------	-----------------

ICX-SHOP!



Ø3,45 / 3,75 / 4,1 / 4,8mm

OVERVIEW: ICX Maximus Accessories

Matrices

ICX Maximus Accessories:

Article no.		Article	Material
C-031-851902		Processing package (titanium cap with black laboratory insert, spacer ring and retention inserts)	Titanium/ Plastic (pack of 2)
C-031-851910		Processing package (titanium cap with black laboratory insert, spacer ring and retention inserts)	Titanium/ Plastic (pack of 10)
C-031-009142		Matrice	Titanium
C-031-851500		Processing maleblack, no retention (laboratory)	Plastic (pack of 4)
C-031-852400		Retention insert transparent Pull-off force approx. 2.3 kg, strong divergence compensation $\pm 10^\circ$	Plastic (pack of 4)
C-031-852700		Retention insert pink Trigger force approx. 1.6 kg, medium divergence compensation $\pm 10^\circ$	Plastic (pack of 4)
C-031-852900		Retention insert blue Pull-off force approx. 0.7 kg, weak divergence compensation $\pm 10^\circ$	Plastic (pack of 4)
C-031-854700		Retention insert green Pull-off force approx. 1.8 kg, medium divergence compensation ± 20	Plastic (pack of 4)
C-031-854800		Retention insert red Pull-off force approx. 0.4 kg, weak divergence compensation ± 20	Plastic (pack of 4)
C-031-852300		ICX-Maximus Block out Spacer, Pack of 2	Plastic (pack of 2)

Ø3,45 / 3,75 / 4,1 / 4,8mm



OVERVIEW: ICX Maximus Accessories

Matrices

ICX Maximus Accessories:

Article no.		Article	Material
C-015-100032		Core Tool (general purpose tool)	Stainless steel
C-031-850501		Impression cap	Titanium (pack of 4)
C-031-853000		Model analogue 04mm	Titanium (pack of 4)
C-015-100018		Triangular insertion tool 25mm (short)	Stainless steel
C-015-100031		Triangular insertion tool 30mm (long)	Stainless steel

Visit our ICX-Shop.



OVERVIEW: ICX Instruments Box

ICX Instruments Box

Pos.	Quantity	Article no.	Article
1	1	C-018-000104	ICX Instrument Box (empty)
1	1	C-018-000105	ICX Instrument Box (filled)
2	1	C-015-100007	ICX t-bona insertion instrument, ISO shaft
3	1	C-021-000002	Square key ISO shaft NO LONGER INCLUDED! ○
4	1	960004	Drill extension
5	1	C-020-000001	Multi Insertion Tool ISO-Shaft
6	1	C-015-100031	Maximus Insertion Tool ISO Shank
7	1	950099	Screwdriver ISO-Shaft
8	1	C-015-100033	Screwdriver ISO-Shaft
9	1	960002	Screwdriver ISO-Shaft
10	1	C-015-100029	Screwdriver
11	1	C-015-100030	Screwdriver
12	1	C-015-100025	Screwdriver
13	1	C-015-100005	ICX Body puller
14	1	DP-072609	Dalbo PLUS tool/activator
15	1	960001	Torque ratchet
16	1	C-015-100009	ICX Mini Counter Tool
17	1	960007	Universal ratchet adapter
18	1	T-10571	t-ecco activator/deactivator



OVERVIEW: ICX-Try-in-Box / ICX-Bone-Spreader-Box


ICX-Try-in-Box

Pos.	Quantity	Article no.	Article
1	1	C-018-030001	ICX-Try-in-Box



ICX-Bone-Spreader-Box

Pos.	Quantity	Article no.	Article
1	1	C-018-100019	ICX-Bone-Spreader-Box



medentis
medical

OVERVIEW: ICX Accessories

ICX implant insertion instruments

Article no.		Article	Material
C-015-100006		ICX insertion tool, For all ICX-MINI implants Ø 2.9mm	Stainless steel
C-021-000002		ICX placement tool / For all WHITE ceramic implants & solid abutments	Stainless steel
C-015-100001		ICX insertion tool (ISO shaft) L 23mm, short For all ICX implants: Ø 3.45/3.75/4.1/4.8	Stainless steel
C-015-100002		ICX insertion tool (ISO shaft) L 29mm, medium For all ICX implants: Ø 3.45/3.75/4.1/4.8	Stainless steel
C-015-100004		ICX insertion tool (ISO shaft) L 40mm, long For all ICX implants: Ø 3.45/3.75/4.1/4.8	Stainless steel
C-015-100021		ICX insertion tool, L 30mm, one-piece, medium For all ICX implants: Ø 3.45/3.75/4.1/4.8	Stainless steel
C-015-100040		ICX insertion tool, (ISO shaft) lockable, L 30mm The innovative click system allows easy and safe removal of the of the ICX implants.	Stainless steel
C-015-100035		ICX insertion tool, lockable, L 31mm The innovative click system allows easy and safe removal of the of the ICX implants.	Stainless steel

Article no.		Article	Material
C-015-100000		ICX Insertion tool with screw connection	Surgical stain- less steel
C-015-110000		ICX insertion tool narrow with screw connection	Surgical stain- less steel
C-015-100000 and C-015-110000		In the set (**valid until revoked): 1 x ICX insertion tool with screw connection and 1 x ICX insertion instrument narrow	— Sets Surgical stain- less steel
2 x C-015-100000		In the set (**valid until revoked): 2 x ICX insertion tool with screw connection	— Sets Surgical stain- less steel
2 x C-015-110000		In the set (**valid until revoked): 2 x ICX insertion tool narrow with screw connection	— Sets Surgical stain- less steel

Article-No.		Article	Material
960001		torque ratchet	Stainless steel

OVERVIEW: ICX Accessories

ICX hexagonal instruments (screwdrivers)

Article no.		Article	Material
950099		ICX hex tool (ISO shaft) SW 1.4mm medium, L 24mm for all screws of the abutments, as well as healing caps	Stainless steel
950098		ICX hex tool (ISO shaft) SW 1.4mm long, L 28mm for all screws of the abutments, as well as healing caps	Stainless steel
950097		ICX hex tool (ISO shaft) SW 1.4 mm extra long, L 45mm for all screws of the abutments as well as healing caps	Stainless steel
C-015-100023		ICX hex tool (one-piece) SW 1.4mm, short, L 21mm	Stainless steel
C-015-100025		ICX hex tool(one-piece) SW 1,4mm, medium, L 27mm for all abutment screws	Stainless steel
C-015-100024		ICX hex tool (one-piece) SW 1.4mm, long, L 31mm	Stainless steel
Only for ICX-3.3mm and MULTI system			
C-015-100033		ICX hex tool (ISO shank) SW 1.2mm, L 25mm	Stainless steel
C-015-100043		ICX hexagonal instrument (one-piece) SW 1.2mm, short, L 23mm	Stainless steel
C-015-100030		ICX hex tool (one-piece) SW 1.2mm, medium, L 27mm	Stainless steel
C-015-100036		ICX hex tool (one-piece) SW 1.2mm, L 32mm	Stainless steel
Only for ICX-2.9mm screw plugs and t-ecco matrix inserts			
960002		ICX hex tool (ISO shaft) SW 0.9mm, L 20mm for t-ecco inner matrice and ICX-MINI cover screw	Stainless steel
C-015-100029		ICX hex tool (one-piece) SW 0.9mm, L 38.5mm for t-ecco inner matrice and ICX-MINI cover screw	Stainless steel
Article-No.		Article	Material
960007		ICX ratchet adapter for all instruments with ISO shaft connection	

Note: All torque ratchets from any manufacturer with an ISO shaft adapter can be combined with our ISO shaft instruments.

RECOMMENDED VALUES FOR TORQUES



5 Ncm to 10 Ncm (hand-tight)	
Cover screws	
Gingiva former	
Impression posts	
Plastic abutments	

RECOMMENDED VALUES FOR TORQUES



max. 15 Ncm

Scan body
and all
other abutments
made of PEEK



RECOMMENDED VALUES FOR TORQUES



max. 30 Ncm	
all titanium abutments	
Adhesive bases	
CERICX	
Ball head	
Maximus	
ICX-multi abutments	<p style="text-align: right;">(occlusal screw connection with 15 Ncm)</p>

RECOMMENDED VALUES FOR TORQUES



ICX-Implants

General insertion:

Not less than
15Ncm
and not more than
55Ncm.




Immediate loading:

Not less than
35Ncm



ICX-ACTIVE MASTER -Implants

In the
interforaminal area
no more than
40Ncm



ICX-PRODUCT INFO

ICX-BL + TL Implants



ICX-Ø 3,3mm **BL** (Bone Level)
Ø 3,3mm

Article no.: N-006-010003



ICX-Ø 3,3mm **TL** (Tissue Level)
Ø 3,3mm

Article no.: N-006-010008



ICX-**BL** (Bone Level)
Ø 3,75 · Ø 4,1 · Ø 4,8mm

Article no.: C-006-010001



ICX-**TL** (Tissue Level)
Ø 3,45 · Ø 3,75 · Ø 4,1 · Ø 4,8mm

Article no.: C-006-010008

Dear customers,

please note the two different platforms of the BL and TL implants during transfer.

Select the BL and TL laboratory analogues accordingly.

This is important if the prosthetics must later touch the different platforms of the implants due to the low emergence profile (GH 0mm).

*Welcome to
the successful ICX!*



SIMPLY ONE OF THE BEST.
IN QUALITY, SERVICE AND & PRICE.

ICX-SHOP!



BE SMART. BE ICX.



ICX

THE FAIR
PREMIUM
IMPLANT-
SYSTEM.

ICX-PRODUCTCATALOGUE

ICX-IMPLANTS · ICX-SURGERY · ICX-PROSTHETICS

03/2026

Exclusively for the manufacture
of our elite implant



ICX-DIAMOND[®]
THE ELITE-IMPLANT FROM MEDENTIS. **LIQUID**



mm02826_SC

medentis medical GmbH

Walporzheimer Str. 48-52 · 53474 Bad Neuenahr/Ahrweiler · Germany

Tel.: +49 (0)2641 9110-0 · www.medentis.de

ONE VISION - BE SMART. BE ICX.

medentis
medical